

SAFETY DATA SHEET

Issuing Date 29-Oct-2013

Revision Date 29-Oct-2013

Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name HEAVY DUTY HOUSE, DECK AND VEHICLE WASH

Other means of identification

Product Code(s) SP-077-01 – SP-077-55

UN-Number NA1760

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Alkaline house, deck, vehicle and multi-purpose cleaner

Uses advised against No information available

Supplier's details

Supplier Address

Seattle Pump and Equipment Company
2222 – 15th Avenue West
Seattle, Washington 98119
TEL: 1-800-863-7867

Manufacturer Address

Industrial Research Products
2505 Frank Albert Road East
Suite B120
Fife, Washington 98424

Emergency telephone number

Emergency Telephone Number 206-283-5252

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 1 Subcategory 1A
Serious Eye Damage/Eye Irritation	Category 1

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Danger
Hazard Statements
• Causes severe skin burns and eye damage



Appearance Amber **Physical State** Liquid. **Odor** Mild

Precautionary Statements

Prevention

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

- Immediately call a POISON CENTER or doctor/physician.

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician.

Skin

- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse.

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion

- IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Storage

- Store locked up.

Disposal

- Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Sodium metasilicate	6834-92-0	5-10	*
Potassium hydroxide	1310-58-3	3 -7	*
2-Butoxyethanol	111-76-2	1-5	*

**The exact percentage (concentration) of composition has been withheld as a trade secret.*

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
Ingestion	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Immediate medical attention is required.

Most important symptoms/effects, acute and delayed**Most Important Symptoms/Effects** No information available.**Indication of immediate medical attention and special treatment needed, if necessary****Notes to Physician** Treat symptomatically.**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.**Specific Hazards Arising from the Chemical**

No information available.

Explosion Data**Sensitivity to Mechanical Impact** None.**Sensitivity to Static Discharge** None.**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****Personal Precautions** Attention! Corrosive material Avoid contact with skin, eyes and clothing. Use personal protective equipment. Evacuate personnel to safe areas. Ensure adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. Keep people away from and upwind of spill/leak.**Environmental Precautions****Environmental Precautions** See Section 12 for additional Ecological Information. Prevent entry into waterways, sewers, basements or confined areas.**Methods and materials for containment and cleaning up****Methods for Containment** Stop leak if you can do it without risk**Methods for Cleaning Up** Neutralize with soda ash (sodium carbonate) or lime over area of spill. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Prevent formation of aerosols or mists. Avoid breathing vapors or mists. Use only in area provided with appropriate exhaust ventilation. Wash thoroughly after handling. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible Products Strong acids. Metals.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical splash goggles. Face-shield.
Skin and Body Protection Neoprene gloves. Impervious clothing. Boots. Apron.
Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid
Odor Mild
Appearance Amber
Odor Threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ - Method</u>
pH	12.6	None known
Melting Point/Range	No data available	None known
Boiling Point/Boiling Range	100 °C	None known
Flash Point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		

upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available	None known
Vapor Density	No data available	None known
Relative Density	No data available	None known
Specific Gravity	1.04@20°C	None known
Water Solubility	Completely soluble	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	1.1@20°C	None known

Flammable Properties Not flammable

Explosive Properties No data available

Oxidizing Properties No data available

Other information

VOC Content (%) No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Incompatible products.

Incompatible materials

Strong acids. Metals.

Hazardous decomposition products

Potassium oxides. Carbon monoxide (CO). Hydrogen.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

May cause irritation of respiratory tract.

Eye Contact

Causes serious eye damage. Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact

Causes severe skin burns. Corrosive.

Ingestion

May be harmful if swallowed. Ingestion of corrosive substances can cause burns of the upper digestive and respiratory tract.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium metasilicate	= 600 mg/kg (Rat)	-	-
Potassium hydroxide	= 214 mg/kg (Rat)	-	-
2-Butoxyethanol	= 470 mg/kg (Rat)	= 400 mg/kg (Rabbit) = 2270 mg/kg (Rat)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available.
Mutagenic Effects No information available.
Carcinogenicity Contains no ingredients above reportable quantities listed as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		

IARC: (International Agency for Research on Cancer)

Group 3: Not Classifiable as to its Carcinogenicity to Humans

Reproductive Toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration Hazard No information available.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 3002 mg/kg; Acute toxicity estimate
LD50 Dermal 17569 mg/kg; Acute toxicity estimate
Inhalation

12. ECOLOGICAL INFORMATION**Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Sodium metasilicate 6834-92-0		LC50 96 h: = 210 mg/L semi-static (Brachydanio rerio) LC50 96 h: = 210 mg/L (Brachydanio rerio)		EC50 96 h: = 216 mg/L (Daphnia magna)
Potassium hydroxide 1310-58-3		LC50 96 h: = 80 mg/L static (Gambusia affinis)		
2-Butoxyethanol 111-76-2		LC50 96 h: = 1490 mg/L static (Lepomis macrochirus) LC50 96 h: = 2950 mg/L (Lepomis macrochirus)		EC50 24 h: 1698 - 1940 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L (Daphnia magna)

Persistence and Degradability No information available.

Bioaccumulation No information available.

Chemical Name	Log Pow
Potassium hydroxide	0.83
2-Butoxyethanol	0.81

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Potassium hydroxide	Toxic Corrosive

14. TRANSPORT INFORMATION

DOT

UN-Number NA1760
Proper shipping name Compounds, cleaning liquid
Hazard Class 8
Packing Group III
Reportable Quantity (RQ) Potassium hydroxide: RQ kg= 7827.59
Description NA1760, Compounds, cleaning liquid (Sodium metasilicate, Potassium hydroxide), 8, III, RQ
Emergency Response Guide Number 154

TDG

UN-Number UN1760
Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group III
Description UN1760, Corrosive liquid, n.o.s. (Sodium metasilicate, Potassium hydroxide), 8, III

MEX

UN-Number UN1760
Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group III
Description UN1760, Corrosive liquid, n.o.s. (Sodium metasilicate, Potassium hydroxide), 8, III

ICAO

UN-Number UN1760
Proper shipping name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group III
Description UN1760, Corrosive liquid, n.o.s., 8, III

IATA

UN-Number UN1760
Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group III
ERG Code 8L
Description UN1760, Corrosive liquid, n.o.s. (Sodium metasilicate, Potassium hydroxide), 8, III

IMDG/IMO

UN-Number UN1760
Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group III
EmS No. F-A, S-B
Description UN1760, Corrosive liquid, n.o.s. (Sodium metasilicate, Potassium hydroxide), 8, III

RID

UN-Number UN1760
Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group III
Classification Code C9
Description UN1760, Corrosive liquid, n.o.s. (Sodium metasilicate, Potassium hydroxide), 8, III

ADR

UN-Number UN1760
Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group III
Classification Code C9
Tunnel Restriction Code (E)
Description UN1760, Corrosive liquid, n.o.s. (Sodium metasilicate, Potassium hydroxide), 8, III, (E)
ADR/RID-Labels 8

ADN

Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group III
Classification Code C9
Special Provisions 274
Description UN1760, Corrosive liquid, n.o.s. (Sodium metasilicate, Potassium hydroxide), 8, III
Limited Quantity 5 L

15. REGULATORY INFORMATION

International Inventories

IECSC -

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
2-Butoxyethanol	111-76-2	1-5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide	1000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Potassium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Potassium hydroxide	X	X	X		X
2-Butoxyethanol	X	X	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION						
<u>NFPA</u>	Health Hazard	3	Flammability	0	Instability 0	Physical and Chemical Hazards - Personal Protection X
<u>HMIS</u>	Health Hazard	3	Flammability	0	Physical Hazard 0	

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 29-Oct-2013
Revision Date 29-Oct-2013
Revision Note Initial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet