

ENVRONMENTAL CONTAINMENT & SUPPLY CATALOG

EFFECTIVE JUNE 1, 2012





YOUR SOURCE FOR:

WATER TREATMENT

IL & HAZARDOUS WASTE CLEANUP


EAK & SPILL MANAGEMENT

FILTRATION
CONTAINMENT





www.wmaze.com • 800-347-6116 • Fax 800-535-9164 • info@wmaze.com



Dear Customer:

Water Maze proudly introduces the <u>Environmental Containment and Supply Catalog</u>, a catalog that focuses on environmental issues that are now every day needs and concerns for many companies.

The products found in this catalog are sourced from a variety of premier OEMs that specialize in environmental containment. Utilizing our extensive distribution network, we provide our customers a one stop shopping experience with quality customer service. To find out who your local ECS dealer is, please visit www.wmaze.com. Or, call 1-800-347-6116.

We want your shopping experience to be easy as one-two-three.

- 1) TO PLACE AN ORDER, please contact your local dealer as indicated below.
- 2) FAX IN OR CALL IN YOUR ORDER to your local dealer using the ECS order form found on page 49.
- 3) FOR APPLICATION QUESTIONS contact your local dealer or contact us directly at 1800-347-6116, or you can e-mail us at info@wmaze.com.

 TO ACCESS THIS CATALOG ONLINE please visit our website at www.wmaze.com.

All orders will be F.O.B from one of our distribution hubs across the U.S. Shipping location will be reliant on product purchased and availability. All freight charges will be applied prior to shipment. We take into consideration your location to ensure our customers get the best possible freight rate.

The Wolf Pack dealer network is able to supply the necessary tools to help with your environmental concerns. Just give us a howl...

AHH-W0000000

Thank you,

Bernie Larson Zarsan




TABLE OF CONTENTS

| Eco-Efficient Products2 | Cylinder Products33 |
|---------------------------------------|---------------------------------------|
| ECS Cont | |
| Salvage / Overpack Drums3 | Collection Pits / Accessories34 |
| | |
| Spill Pallets5-8 | Pit Management / Bioremediation35 |
| 🚚 🚚 🗾 | |
| Portable Containment & Flexibles 9-12 | Pretreatment / Oil Water Separators36 |
| the sale | |
| Dispensing13-16 | Filtration37 |
| | |
| Storage17-20 | Ozone Generator38 |
| | 3 |
| Spill Kits21-27 | Water Blaster / Evaporation39 |
| | |
| Sorbents28-29 | Steel Washpads40-42 |
| | |
| Stormwater30 | Cargo Containers43 |
| | |
| Funnels31 | Chemicals44 |
| | |
| Steel Products32 | Chemical Compatability Charts45-48 |
| | |





The new ECO-Efficient line is made from up to 100% recycled and 100% recyclable material, making them no-waste products! Easy on the earth and easy on your wallet.

2-DRUM ECO POLY-SPILLPALLET 2000

This secondary containment system is engineered to meet the rigors of today's regulatory environment.



| Part No. | Description | List Price |
|-------------|------------------------------------|------------|
| 8.752-574.0 | Eco Poly-Spillpallet 2000 | \$321 |
| 8.752-575.0 | Eco Poly-Spillpallet 2000 w/ Drain | \$357 |

POLY-SPILLPALLET SLIM-LINE 6000

Rated at 6,000 lb handling capacity and 83-gallon sump, this Poly-Spillpallet Slim-Line meets EPA regulation 40 CFR 264.175. It's square 50" x 50" footprint with a low 12" profile saves space, yet easily holds four (4) 55-gallon drums.



| Part No. | Description | List Price |
|-------------|--|------------|
| 8.752-588.0 | Eco Poly-Spillpallet Slim-Line 6000 | \$386 |
| 8.752-589.0 | Eco Poly-Spillpallet Slim-Line 6000 w/ Drain | \$421 |

LOW PROFILE IN-LINE **POLY-SPILLPALLET 3000**

Store drums in-line near a wall, between columns, and in all places thought to be unusable!



| Part No. | Description | List Price |
|-------------|---|------------|
| 8.752-552.0 | Eco Inline Poly-Spillpallet 3000 | \$398 |
| 8.752-553.0 | Eco Inline Poly-Spillpallet 3000 w/ Drain | \$433 |

95-GALLON ECO POLY-SPILLPACK

Not only will you meet regulations, but you will exceed your expectations of earth-friendly containment by using the official 95-Gallon overpack! Made from up to 100% recycled material!



| Part No. | Description | List Price |
|-------------|-----------------|------------|
| 8.752-201.0 | 95 Eco-Overpack | \$233 |

2 & 4-DRUM HARDCOVER & SPILLPALLET


Ideal for indoor/outdoor storage of up to two (2) 55-gallon drums. Roll-top design allows for use in limited space or next to buildings where swing-open doors would be a problem.



| Part No. | Description | List Price |
|-------------|-------------------------------|------------|
| 8.752-383.0 | 2-Drum Eco Hardcover | \$1,190 |
| 8.752-384.0 | 2-Drum Eco Hardcover w/ Drain | \$1,226 |
| 8.752-387.0 | 4-Drum Eco Hardcover | \$1,524 |
| 8.752-388.0 | 4-Drum Eco Hardcover w/ Drain | \$1,560 |

2, 4, 6 AND 8-DRUM WORKSTATIONS

There's no need to worry about incidental spills on your factory floor. Workstations are the easiest to load with low profile design and optional ramp. Each Workstation is designed for stand-alone use or can combine with other Workstations for a customized work area.



| Part No. | Description | List Price |
|-------------|------------------------|------------|
| 8.752-565.0 | 2-Drum ECO Workstation | \$281 |
| 8.752-562.0 | 4-Drum ECO Workstation | \$355 |
| 8.752-560.0 | 6-Drum ECO Workstation | \$464 |
| 8.752-556.0 | 8-Drum ECO Workstation | \$726 |



FEATURES AND BENEFITS:

- Meets performance-oriented packaging requirement of US DOT and UN regulations.
- Twist down lid for safe closure
- · Closed cell gasket in lid seals closure lid will only seal if loaded -
- Castellation in lid allow for easy closing with pole or wooden 2" x 4"
- Double wall lid gives added strength
- Molded area allows for easy gripping and lifting by material handling equipment -
- Ribbed design provides extra strength
- 100% UV protected polyethylene provides protection over a wide range for chemicals
- Drums are translucent in order to see contents inside the drum



WHAT'S THE DIFFERENCE?

OVERPACK - To provide protection for packages of solids or for convenience in handling a package or consolidating packages of solids.

**NOT* to be used for transportation of hazardous material.

SALVAGE DRUM - For the transport of damage or leaking drums containing hazardous liquids and hazardous materials.

NOTE - All Poly-Overpacks are rated as salvage drums <u>EXCEPT</u> for the Poly-Overpack 180T and 600 models (pg. 4).



Prices subject to change without notice

ENVIROSALV™ POLY SALVAGE DRUM

The "Locking" Overpack Salvage Drum of the Future!

Poly Salvage Drum Plus allows for safe and secure shipments of hazardous materials. The lockable Envirosalv™ Poly Salvage Drum is built stronger and seals tighter for added strength, security and convenience.



Page 3

| ockdown | Clip |
|---------|------|

| Part No. | Description | List Price |
|-------------|------------------------------------|------------|
| 8.752-203.0 | Envirosalv™ Poly Salvage Drum Plus | \$267 |
| 8.752-204.0 | Envirosalv™ Lock Down Security Kit | \$ 31 |

WE HAVE OVER

WE HAVE OVERPACKS IN SMALL, MEDIUM, LARGE, AND HUGE!















POLY-OVERPACK 20 & 30 SALVAGE DRUMS

Big Features and Big Savings!

New 20 and 30-gallon Salvage Drums are versatile units that can directly contain solids and sludges with security.



| Part No. | Description | List Price |
|-------------|------------------|------------|
| 8.752-198.0 | Poly-Overpack 20 | \$ 76 |
| 8.752-199.0 | Poly-Overpack 30 | \$100 |

POLY-OVERPACK 65 SALVAGE DRUM

Poly-Overpack 65 meets Group 1 packaging standards, Salvage Drum regulations, and is designed to fit 30-gallon drums.



| Part No. | Description | List Price |
|-------------|------------------|------------|
| 8.752-196.0 | Poly-Overpack 65 | \$217 |

POLY-OVERPACK 95/110 SALVAGE DRUM

Is Your Overpack Really a Salvage Drum?

Poly-Overpack 95 meets Group 1 packaging standards and salvage drum regulations (unlike competing overpacks).



| Part No. | Description | List Price |
|-------------|-------------------|------------|
| 8.752-200.0 | Poly-Overpack 95 | \$240 |
| 8.752-202.0 | Poly-Overpack 110 | \$338 |

DRUM LIFTER

Salvage Drum loading is one of the trickiest drum handling jobs. This lifter makes it easy!

- 1,000 lbs handling capacity
- · Lifts open-head or tight-head pails & drums

| Slim design for loading drums into salvage drums | | |
|--|-------------|------------|
| Part No. | Description | List Price |
| 8.752-376.0 | Drum Lifter | \$333 |

WHEELED OVERPACK SALVAGE DRUMS

Wheeled Overpacks™ are the industry's first one-piece overpack. As a Salvage Drum and dolly all in one, it eliminates the need for a separate dolly for transportation.



| Part No. | Description | List Price |
|-------------|---------------------|------------|
| 8.752-206.0 | Wheeled Overpack 95 | \$345 |
| 8.752-205.0 | Wheeled Overpack 50 | \$321 |

POLY-OVERPACK 180T

*Not rated as a salvage drum

The Poly-Overpack® 180T offers a large 180-gallon capacity to handle the big jobs, while its Tight Grip feature saves you time and money.



| Part No. | Description | List Price |
|-------------|--------------------|------------|
| 8.752-197.0 | Poly-Overpack 180T | \$855 |

POLY-OVERPACK 600

*Not rated as a salvage drum

Designed specifically for the storage and transport of large transformers, the Poly-Overpack® 600 offers an easy, cost-effective way to keep larger quantities of hazardous fluids contained.



| Part No. | Description | List Price |
|-------------|-------------------|------------|
| 8.752-195.0 | Poly-Overpack 600 | \$2,174 |

Did You Know?

Rated Salvage Drums pass extensive testing:

- Loaded Drop Test from 6' high
- Loaded Stack Test 3 high for 72 hours
- 3 PSI Pressure Test

Salvage Drums are tested and certified every 12 months!



Avoid a violation with our Poly Spill Pallets.

Meets EPA / CFR Regulation.

2-DRUM POLY-SPILLPALLET 2000

This secondary containment system is engineered to meet the rigors of today's regulatory environment. Made with 100% Polyethylene, it provides excellent chemical resistance.

FEATURES & BENEFITS:

- · Meets EPA regulations
- Holds up to 2,000 lbs
- Forkliftable
- Removable grate for easy cleaning
- · Model w/ drain available
- Optional tarp available (see pg. 7)



Sump Capacity: 58 Gallons Dims: 53.5" L x 29" W x 17" H

| Part No. | Description | List Price |
|-------------|--------------------------------|------------|
| 8.752-572.0 | Poly-Spillpallet 2000 | \$336 |
| 8.752-573.0 | Poly-Spillpallet 2000 w/ Drain | \$371 |

LOW PROFILE IN-LINE POLY-SPILLPALLET 3000

Store drums in-line near a wall, between columns, and in all places thought to be unusable!

FEATURES & BENEFITS:

- Holds (4) 55-gallon drums
- Low profile 12"
- Holds up to 3,000 lbs handling capacity weight
- Raised edge on back and side helps orient barrels on pallet
- Non-skid removable grates
- 100% polyethylene
- · Model w/ drain available
- Optional tarp available (see pg. 7)



Sump Capacity: 66 Gallons Dims: 98" L x 25.25" W x 12" H

| Part No. | Description | List Price |
|-------------|---------------------------------------|------------|
| 8.752-550.0 | Inline Poly-Spillpallet 3000 | \$405 |
| 8.752-551.0 | Inline Poly-Spillpallet 3000 w/ Drain | \$440 |



Rated at 6,000 lbs handling capacity and 83-gallon sump, this Poly-Spillpallet meets EPA regulation. It's square $50^{\circ} \times 50^{\circ}$ footprint saves space, yet easily holds four (4) 55-gallon drums.

Poly-Slim-Line 6000 offers all of the same advantages as our Poly-SpillPallet 6000...and more!

FEATURES & BENEFITS (Poly-Spillpallet 6000):

- Holds (4) 55-gallon drums
- \bullet Holds up to 6,000 lbs handling capacity weight
- Raised edge on back and side helps orient barrels on pallet
- Non-skid removable grates
- 100% polyethylene
- Model w/ drain available
- Optional tarp available (see pg. 7)



POLY-SPILLPALLET 6000

Sump Capacity: 66 Gallons Dims: 50" L x 50" W x 17" H

FEATURES & BENEFITS (Poly-Slim-Line 6000):

- Holds (4) 55-gallon drums
- Low profile 12"
- Holds up to 6,000 lbs handling capacity weight
- Raised edge on back and side helps orient barrels on pallet
- · Non-skid removable grates
- 100% polyethylene
- Model w/ drain available
- Optional tarp available (see pg. 7)



POLY-SLIM-LINE 6000

ble **Sump Capacity:** 66 Gallons e (see pg. 7) **Dims:** 54" L x 54" W x 12" H

| Part No. | Description | List Price |
|-------------|--------------------------------|------------|
| 8.752-543.0 | Poly-Slim-Line 6000 | \$476 |
| 8.752-544.0 | Poly-Slim-Line 6000 w/ Drain | \$512 |
| 8.752-586.0 | Poly-Spillpallet 6000 | \$405 |
| 8.752-587.0 | Poly-Spillpallet 6000 w/ Drain | \$440 |

2 & 4-DRUM HARDCOVER & SPILLPALLET

Ideal for indoor/outdoor storage of up to two (2) 55-gallon drums. Roll-top design allows for use in limited space or next to buildings where swing-open doors would be a problem.

FEATURES & BENEFITS:

- 100% UV protected polyethylene provides protection over a wide range for chemicals
- Dual-sided / rear loadable and lockable doors
- Non-skid removable grates
- Optional Ramp available
- Optional Ramp Extender available
- Models w/ drain available

Note: Some assembly required.



Sump Capacity: 58 Gallons **Dims:** 60" L x 37.25" W x 72.63" H

| Part No. | Description | List Price |
|-------------|---------------------------|------------|
| 8.752-381.0 | 2-Drum Hardcover | \$1,202 |
| 8.752-382.0 | 2-Drum Hardcover w/ Drain | \$1,238 |
| 8.752-385.0 | 4-Drum Hardcover | \$1,543 |
| 8.752-386.0 | 4-Drum Hardcover w/ Drain | \$1,579 |

POLY-RAMP

Get big performance at a great price with our Poly Ramp. The ribbed non-skid surface allows for safe walk-ups. Holds up to 1,000 lbs of UDL weight.



FEATURES & BENEFITS:

- 100% UV protected polyethylene provides protection over a wide range of chemicals
- 10-degree ramp slope
- Ribbed, non-skid surface for safe walking

Handling Capacity: 1,000 lbs Dims: 68" L x 30.75" W x 12.5" H

| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-549.0 | Poly-Ramp | \$367 |

RAMP EXTENDER

Works with the Poly-Ramp to accommodate 17" high pallets and the 2-Drum Hardcover. No more relying on expensive and obtrusive metal ramps.



| Part No. | Description | List Price |
|-------------|--------------------|------------|
| 8.752-548.0 | Poly-Ramp Extender | \$102 |

2, 4, 6 AND 8-DRUM WORKSTATIONS



There's no need to worry about incidental spills on your factory floor. Workstations are the easiest to load with low profile design and optional ramp. Each Workstation is designed for stand-alone use or can combine with other Workstations for a customized work area.

ECO-Efficient green models available - see page 2.

FEATURES & BENEFITS:

- · Forkliftable when empty
- Tough, one-piece polyethylene construction that is UV resistant and chemical resistant
- Low-profile Workstations actually become part of your factory floor, optimizing space for increased safety and efficiency
- · Makes drum loading easy
- · Large sump capacity catches incidental spills
- Multi-Purpose Work Ramp[™] hooks onto any Workstation for easy loading
- Removable heavy-duty structural foam for easy cleaning
- Rolled-edge design helps resist cracking and warping

2 Drum Workstation

Sump Capacity: 22 Gallons Handling Capacity: 2,400 lbs Dims: 53" L x 28.5" W x 5.63" H

4 Drum Workstation

Sump Capacity: 41 Gallons Handling Capacity: 6,000 lbs Dims: 53" L x 53" W x 6" H

6 Drum Workstation

Sump Capacity: 61 Gallons Handling Capacity: 7,000 lbs Dims: 77" L x 53" W x 6" H

8 Drum Workstation

Sump Capacity: 77 Gallons Handling Capacity: 8,000 lbs Dims: 100" L x 53.25" W x 6" H

| Part No. | Description | List Price |
|-------------|--------------------|------------|
| 8.752-564.0 | 2-Drum Workstation | \$288 |
| 8.752-561.0 | 4-Drum Workstation | \$369 |
| 8.752-559.0 | 6-Drum Workstation | \$476 |
| 8.752-555.0 | 8-Drum Workstation | \$740 |

LINK-LOCK

Securely Hooks Multiple Workstations Together

Link and lock multiple Workstations together in a wide variety of configurations. Sold in pairs.



| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-558.0 | Link-Lock | \$119 |

Perfect

MULTI-PURPOSE WORK RAMP™

Make loading drums a cinch with the Multi-Purpose Work Ramp™. Lightweight and easy to handle, with improved non-skid surface.





| Part No. | Description | List Price |
|-------------|--------------------------|------------|
| 8.752-557.0 | Multi-Purpose Work Ramp™ | \$274 |

GRATES

New grates are available for when contamination occurs or for replacement.



| Part No. | Description | List Price |
|-------------|---------------|------------|
| 8.752-649.0 | 1-Drum Grates | \$48 |
| 8.752-648.0 | 2-Drum Grates | \$60 |

FLEXPAL

The versitility of portable containment meets the durability of the classic spill pallet with the all-new Flexpal[™]. With the accessibility of fabric combined with the strength of rigid pallets, the unique platform design keeps drums out of the spill and allows access to the sump for easy clean-up.



1 Drum Flexpal

Sump Capacity: 38 Gallons Dims: 25" L x 25" W x 12" H

2 Drum Flexpal

Sump Capacity: 68 Gallons Dims: 58" L x 25" W x 12" H

4 Drum Flexpal

Sump Capacity: 130 Gallons Dims: 58" L x 58" W x 12" H

6 Drum Flexpal

Sump Capacity: 195 Gallons Dims: 82" L x 58" W x 12" H

8 Drum Flexpal

Sump Capacity: 260 Gallons Dims: 107" L x 58" W x 12" H

| Part | No. | Description | List Price |
|------|---------|-------------------------|------------|
| 8.75 | 3-038.0 | 1-Drum Flexpal™ | \$250 |
| 8.75 | 3-039.0 | 1-Drum Flexpal™ w/Drain | \$262 |
| 8.75 | 3-040.0 | 2-Drum Flexpal™ | \$348 |
| 8.75 | 3-041.0 | 2-Drum Flexpal™ w/Drain | \$371 |
| 8.75 | 3-042.0 | 4-Drum Flexpal™ | \$521 |
| 8.75 | 3-043.0 | 4-Drum Flexpal™ w/Drain | \$545 |
| 8.75 | 3-044.0 | 6-Drum Flexpal™ | \$736 |
| 8.75 | 3-045.0 | 6-Drum Flexpal™ w/Drain | \$760 |
| 8.75 | 3-046.0 | 8-Drum Flexpal™ | \$883 |
| 8.75 | 3-047.0 | 8-Drum Flexpal™ w/Drain | \$907 |

TARPS

Specifically designed to fit our Spill Containment Products, these reinforced HDPE tarps are used to cover drums stored on spill pallets and IBC's. Tarps prevent contamination of drums and sump area, permit easy visual inspection, and keep rainwater and debris out when stored outdoors.

FEATURES & BENEFITS:

- Quick and easy way to protect from the outdoor elements
- Tarps are made with an elasticized bottom with adjustable straps
- · UV-inhibitors resist the effect of weathering
- Constructed of High Density Polyethylene
- · Attached document pouch for holding chemical information, MSDS and other documents









POLY-SPILLPALLET 2000



POLY-DOLLY

POLY-TANK 550



POLY-INLINE 3000

POLY-TANK 275



IBC 2000I

POLY-SLIM-LINE 6000



POLY-TOPS

| Part No. | Description | List Price |
|-------------|------------------------------|------------|
| 8.752-576.0 | Poly-Spillpallet 2000 | \$250 |
| 8.752-590.0 | Poly-Spillpallet 6000 | \$286 |
| 8.752-584.0 | Poly-Dolly | \$250 |
| 8.752-599.0 | Poly-Tank 550 | \$393 |
| 8.752-580.0 | Poly-Tank 275 | \$321 |
| 8.752-593.0 | IBC 2000I | \$560 |
| 8.752-554.0 | Poly-Inline Spillpallet 3000 | \$286 |
| 8.752-545.0 | Poly-Slim-Line 6000 | \$286 |
| 8.752-208.0 | Poly-Tops 20 & 30-Gallon | \$ 83 |
| 8.752-209.0 | Poly-Tops 65 & 95-Gallon | \$ 88 |
| 8.752-210.0 | Poly-Tops 50-Gallon Wheeled | \$ 88 |
| 8.752-211.0 | Poly-Tops 95-Gallon Wheeled | \$ 93 |
| 8.752-596.0 | Double IBC 4000I | \$595 |
| 8.752-566.0 | 2-Drum Workstation | \$250 |
| 8.752-563.0 | 4-Drum Workstation | \$286 |

DRIP DAM LEAK DIVERTER

Available in various and custom sizes, this funnel-style fast-response tool will channel away liquids minimizing the risk of slip-and-fall injuries and contamination.



FEATURES & BENEFITS:

- Made of durable and resistant PVC, the Drip Dam is resistant to water, most chemicals and punctures allowing for reuse and dependability
- Fast & Efficient and respnse to overhead leaks
- Lightweight
- Easy to handle, use, & store
- · High chemical resistance
- Flow rate of over 3 gallons per minute
- Reusable & reliable
- · Custom size & shapes available
- 3/4" hose bib connnection



| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-401.0 | 3' x 3' | \$ 50 |
| 8.752-402.0 | 3' x 6' | \$ 62 |
| 8.752-403.0 | 3' x 10' | \$ 74 |
| 8.752-404.0 | 5' x 5' | \$ 67 |
| 8.752-405.0 | 6' x 6' | \$ 76 |
| 8.752-406.0 | 6' x 10' | \$110 |
| 8.752-407.0 | 6' x 12' | \$121 |
| 8.752-408.0 | 10' x 12' | \$167 |
| 8.752-409.0 | 12' x 12' | \$202 |
| 8.752-410.0 | 12' x 20' | \$343 |
| 8.752-411.0 | 18' x 18' | \$440 |
| 8.752-412.0 | 24' x 24' | \$786 |

POLY-SPILLPAD

Keep the floors clean with Poly-Spillpad! Handles spent batteries, 5-gallons pails, 16-gallon drums, and the messiest of smaller jobs. Sturdy inner polyethylene grate provides protection while vinyl berm keeps incidental spills contained. Poly-Spillpad is lightweight and easily moved. Great on your plant floors or to prevent incidental spills on the go.



| Part No. | Description | List Price |
|-------------|------------------------|------------|
| 8.752-602.0 | Medium 24" x 24" x 2" | \$ 50 |
| 8.752-603.0 | Large 48" x 24" x 2" | \$ 62 |
| 8.752-604.0 | X-Large 48" x 48" x 2" | \$ 74 |

POLY-LABTRAY

Poly-Labtray™ reduces spills and overflows of liquid and free-flowing powder chemicals during transfer of material in the laboratory.



| Part No. | Description | List Price |
|-------------|--------------|------------|
| 8.752-571.0 | Poly-Labtray | \$83 |

SPILLPALS

The flexible-sidewall SpillPal line is the easiest to use and the most affordable hazardous material storage product on the market today. SpillPal provides incidental spill control during temporary storage of drum, machine parts,

tanks, and generators. It can also be used as a washdown pad. Foam sidewalls that easily spring back into place after any type of pressure is applied. Optional grates available.



Set up is as easy as 1, 2, 3!









1 Drum Spillpal

Sump Capacity: 10 Gallons Dims: 2" L x 2" W x 3" H

2 Drum Spillpal

Sump Capacity: 15 Gallons Dims: 2" L x 4" W x 3" H

4 Drum Spillpal

Sump Capacity: 30 Gallons Dims: 4" L x 4" W x 3" H

4 Drum In-Line Spillpal

Sump Capacity: 30 Gallons Dims: 4" L x 8" W x 3" H

6 Drum Spillpal

Sump Capacity: 45 Gallons Dims: 4" L x 6" W x 3" H

8 Drum Spillpal

Sump Capacity: 60 Gallons Dims: 4" L x 8" W x 3" H

| Part No. | Description | List Price |
|-------------|------------------------|------------|
| 8.752-620.0 | 1-Drum | \$100 |
| 8.752-621.0 | 1-Drum w/ Grates | \$143 |
| 8.752-622.0 | 2-Drum | \$181 |
| 8.752-623.0 | 2-Drum w/ Grates | \$236 |
| 8.752-624.0 | 4-Drum | \$257 |
| 8.752-625.0 | 4-Drum w/ Grates | \$367 |
| 8.752-626.0 | 4-Drum (Inl) | \$314 |
| 8.752-627.0 | 4-Drum (InI) w/ Grates | \$424 |
| 8.752-628.0 | 6-Drum | \$381 |
| 8.752-629.0 | 6-Drum w/ Grates | \$545 |
| 8.752-630.0 | 8-Drum | \$464 |
| 8.752-631.0 | 8-Drum w Grates | \$683 |
| 8.752-648.0 | Grates (2 Drum) | \$60 |
| 8.752-649.0 | Grates (1 Drum) | \$48 |

ECONO SPILL SHELL

Reduces spills and overflows of liquid and freeflowing powder chemicals during transfer of material in the laboratory.



| Part No. | Description | List Price |
|-------------|--------------------------|------------|
| 8.752-546.0 | 2-Drum Econo Spill Shell | \$190 |
| 8.752-547.0 | 4-Drum Econo Spill Shell | \$226 |



STINGER YELLOW JACKET

Carry this lightweight, portable pallet anywhere and prevent spills from occurring. Made of vinyl-coated polyester, it is chemical-resistant and stands up to corrosive battery acid. Stop storing truck, automobile, and small forklift batteries on the ground or wooden pallets. Stinger Yellow Jacket™ folds up for compact storage and transport. Unique snap-up support stays create a sturdy sidewall when unit is opened.



| Part No. | Description | List Price |
|-------------|-------------------|------------|
| 8.752-613.0 | 4'L x 4'W x 8"H | \$ 543 |
| 8.752-614.0 | 6'L x 6'W x 8"H | \$ 750 |
| 8.752-615.0 | 10'L x 10'W x 8"H | \$ 955 |
| 8.752-616.0 | 6'L x 4'W x 8"H | \$ 600 |
| 8.752-617.0 | 8'L x 4'W x 8"H | \$ 702 |
| 8.752-618.0 | 8'L x 8'W x 8"H | \$ 990 |
| 8.752-619.0 | 10'L x 8'W x 8"H | \$1,095 |

Drive in and out without damaging the sidewall!



Prices subject to change without notice





STINGER SNAP-UP BERM AND SNAP-FOAM BERM

SNAP-FOAM BERM

Stinger Snap-Up Berm™ is available in a wide range of sizes and capacities for large-scale spill containment. Features excellent rip, tear, and puncture resistance for the most demanding application or terrain.

Snap-Foam Berm $^{\text{TM}}$ allows for continual drive in and out without ever having to set down the end sidewalls.

- Easy to assemble snap-up design permits immediate response
- Compact storage and transport
- Air-lance tested containment welds for maximum product performance
- Cold rated to -30°F/-34°C
- Lap joint welds for maximum strength
- Individual serial numbers
- · CAD designed and cut components
- Fuel/chemical resistant containment area
- Custom sizes and special materials available



Page 9

| 8.752-417.0 4'L x 4'W x 8"H \$ 674 8.752-418.0 4'L x 4'W x 1'H \$ 764 8.752-419.0 4'L x 6'W x 8"H \$ 743 8.752-420.0 4'L x 6'W x 1'H \$ 879 8.752-421.0 4'L x 8'W x 8"H \$ 943 8.752-422.0 6'L x 6'W x 1'H \$ 1,062 8.752-423.0 8'L x 8'W x 8"H \$ 1,167 8.752-424.0 10'L x 10'W x 1'H \$ 1,757 8.752-425.0 12'L x 12'W x 1'H \$ 1,907 8.752-426.0 16'L x 16'W x 1'H \$ 2,648 8.752-427.0 10'L x 26'W x 1'H \$ 2,883 8.752-428.0 12'L x 36'W x 1'H \$ 4,164 8.752-429.0 15'L x 50'W x 1'H \$ 6,440 8.752-430.0 14'L x 54'W x 1'H \$ 6,426 |
|---|
| 8.752-419.0 4'L x 6'W x 8"H \$ 743 8.752-420.0 4'L x 6'W x 1'H \$ 879 8.752-421.0 4'L x 8'W x 8"H \$ 943 8.752-422.0 6'L x 6'W x 1'H \$ 1,062 8.752-423.0 8'L x 8'W x 8"H \$ 1,167 8.752-424.0 10'L x 10'W x 1'H \$ 1,757 8.752-425.0 12'L x 12'W x 1'H \$ 1,907 8.752-426.0 16'L x 16'W x 1'H \$ 2,648 8.752-427.0 10'L x 26'W x 1'H \$ 2,883 8.752-428.0 12'L x 36'W x 1'H \$ 4,164 8.752-429.0 15'L x 50'W x 1'H \$ 6,440 8.752-430.0 14'L x 54'W x 1'H \$ 6,426 |
| 8.752-420.0 4'L x 6'W x 1'H \$ 879 8.752-421.0 4'L x 8'W x 8"H \$ 943 8.752-422.0 6'L x 6'W x 1'H \$ 1,062 8.752-423.0 8'L x 8'W x 8"H \$ 1,167 8.752-424.0 10'L x 10'W x 1'H \$ 1,757 8.752-425.0 12'L x 12'W x 1'H \$ 1,907 8.752-426.0 16'L x 16'W x 1'H \$ 2,648 8.752-427.0 10'L x 26'W x 1'H \$ 2,883 8.752-428.0 12'L x 36'W x 1'H \$ 4,164 8.752-429.0 15'L x 50'W x 1'H \$ 6,440 8.752-430.0 14'L x 54'W x 1'H \$ 6,426 |
| 8.752-421.0 4'L x 8'W x 8"H \$ 943 8.752-422.0 6'L x 6'W x 1'H \$ 1,062 8.752-423.0 8'L x 8'W x 8"H \$ 1,167 8.752-424.0 10'L x 10'W x 1'H \$ 1,757 8.752-425.0 12'L x 12'W x 1'H \$ 1,907 8.752-426.0 16'L x 16'W x 1'H \$ 2,648 8.752-427.0 10'L x 26'W x 1'H \$ 2,883 8.752-428.0 12'L x 36'W x 1'H \$ 4,164 8.752-429.0 15'L x 50'W x 1'H \$ 6,440 8.752-430.0 14'L x 54'W x 1'H \$ 6,426 |
| 8.752-422.0 6'L x 6'W x 1'H \$ 1,062 8.752-423.0 8'L x 8'W x 8"H \$ 1,167 8.752-424.0 10'L x 10'W x 1'H \$ 1,757 8.752-425.0 12'L x 12'W x 1'H \$ 1,907 8.752-426.0 16'L x 16'W x 1'H \$ 2,648 8.752-427.0 10'L x 26'W x 1'H \$ 2,883 8.752-428.0 12'L x 36'W x 1'H \$ 4,164 8.752-429.0 15'L x 50'W x 1'H \$ 6,440 8.752-430.0 14'L x 54'W x 1'H \$ 6,426 |
| 8.752-423.0 8'L x 8'W x 8"H \$ 1,167 8.752-424.0 10'L x 10'W x 1'H \$ 1,757 8.752-425.0 12'L x 12'W x 1'H \$ 1,907 8.752-426.0 16'L x 16'W x 1'H \$ 2,648 8.752-427.0 10'L x 26'W x 1'H \$ 2,883 8.752-428.0 12'L x 36'W x 1'H \$ 4,164 8.752-429.0 15'L x 50'W x 1'H \$ 6,440 8.752-430.0 14'L x 54'W x 1'H \$ 6,426 |
| 8.752-424.0 10'L x 10'W x 1'H \$ 1,757 8.752-425.0 12'L x 12'W x 1'H \$ 1,907 8.752-426.0 16'L x 16'W x 1'H \$ 2,648 8.752-427.0 10'L x 26'W x 1'H \$ 2,883 8.752-428.0 12'L x 36'W x 1'H \$ 4,164 8.752-429.0 15'L x 50'W x 1'H \$ 6,440 8.752-430.0 14'L x 54'W x 1'H \$ 6,426 |
| 8.752-425.0 12'L x 12'W x 1'H \$ 1,907 8.752-426.0 16'L x 16'W x 1'H \$ 2,648 8.752-427.0 10'L x 26'W x 1'H \$ 2,883 8.752-428.0 12'L x 36'W x 1'H \$ 4,164 8.752-429.0 15'L x 50'W x 1'H \$ 6,440 8.752-430.0 14'L x 54'W x 1'H \$ 6,426 |
| 8.752-426.0 16'L x 16'W x 1'H \$ 2,648 8.752-427.0 10'L x 26'W x 1'H \$ 2,883 8.752-428.0 12'L x 36'W x 1'H \$ 4,164 8.752-429.0 15'L x 50'W x 1'H \$ 6,440 8.752-430.0 14'L x 54'W x 1'H \$ 6,426 |
| 8.752-427.0 10'L x 26'W x 1'H \$ 2,883 8.752-428.0 12'L x 36'W x 1'H \$ 4,164 8.752-429.0 15'L x 50'W x 1'H \$ 6,440 8.752-430.0 14'L x 54'W x 1'H \$ 6,426 |
| 8.752-428.0 12'L x 36'W x 1'H \$ 4,164 8.752-429.0 15'L x 50'W x 1'H \$ 6,440 8.752-430.0 14'L x 54'W x 1'H \$ 6,426 |
| 8.752-429.0 15'L x 50'W x 1'H \$ 6,440 8.752-430.0 14'L x 54'W x 1'H \$ 6,426 |
| 8.752-430.0 14'L x 54'W x 1'H \$ 6,426 |
| · · · · · · · · · · · · · · · · · · · |
| |
| 8.752-431.0 12'L x 60'W x 1'H \$ 6,981 |
| 8.752-432.0 14'L x 66'W x 1'H \$ 8,007 |
| 8.752-433.0 14'L x 85'W x 1'H \$10,464 |
| 8.752-434.0 10'L x 26'W x 1'H (Snap-Foam) \$ 3,317 |
| 8.752-435.0 12'L x 36'W x 1'H (Snap-Foam) \$ 4,883 |
| 8.752-436.0 14'L x 54'W x 1'H (Snap-Foam) \$ 6,752 |
| 8.752-437.0 12'L x 60'W x 1'H (Snap-Foam) \$ 7,055 |
| 8.752-438.0 14'L x 85'W x 1'H (Snap-Foam) \$11,655 |

Ground Pad, Storage Bag, and TracMat™ provide additional protection.

STINGER SPILLPAL w/REMOVABLE **FOAM SIDEWALLS**

Removable 4.5" foam sidewalls increase versatility with sturdy construction and a drive in and out feature; Keeping the job moving while not sacrificing

safety or compliance. The sidewall design incorporates high strength connectors and a two way air relief system that facilitates automatic entry/exit without assistance.



FEATURES & BENEFITS:

- Meets EPA, SPCC, and NPDES regulations
- Custom sizes and material available
- Ground pad option available
- Trac mat option available
- Storage and Transport bag available
- · High Chemical resistance
- · Removable foam sidewalls for easy storage and convenience

| Part # | Size | Material | List Price |
|-------------|-----------|------------|------------|
| 8.752-473.0 | 12' x 15' | Economy | \$1,412 |
| 8.752-474.0 | | Standard | \$1,936 |
| 8.752-475.0 | | Heavy Duty | \$2,779 |
| 8.752-476.0 | | Ground Pad | \$ 407 |
| 8.752-477.0 | | TracMat | \$ 476 |
| 8.752-478.0 | 12' X 20' | Economy | \$1,700 |
| 8.752-479.0 | | Standard | \$2,412 |
| 8.752-480.0 | | Heavy Duty | \$3,524 |
| 8.752-481.0 | | Ground Pad | \$ 510 |
| 8.752-482.0 | | TracMat | \$ 595 |
| 8.752-483.0 | 12' x 30' | Economy | \$2,331 |
| 8.752-484.0 | | Standard | \$3,657 |
| 8.752-485.0 | | Heavy Duty | \$5,000 |
| 8.752-486.0 | | Ground Pad | \$ 764 |
| 8.752-487.0 | | TracMat | \$ 850 |
| 8.752-488.0 | 12' x 40' | Economy | \$2,636 |
| 8.752-489.0 | | Standard | \$4,252 |
| 8.752-490.0 | | Heavy Duty | \$6,698 |
| 8.752-491.0 | | Ground Pad | \$ 936 |
| 8.752-492.0 | | TracMat | \$1,021 |
| 8.752-493.0 | 12' x 50' | Economy | \$3,436 |
| 8.752-494.0 | | Standard | \$5,079 |
| 8.752-495.0 | | Heavy Duty | \$8,333 |
| 8.752-496.0 | | Ground Pad | \$1,174 |
| 8.752-497.0 | | TracMat | \$1,293 |
| 8.752-498.0 | 12' x 60' | Economy | \$3,879 |
| 8.752-499.0 | | Standard | \$5,952 |
| 8.752-500.0 | | Heavy Duty | \$9,793 |
| 8.752-501.0 | | Ground Pad | \$1,412 |
| 8.752-502.0 | | TracMat | \$1,617 |
| 8.752-503.0 | 24' x 40' | Economy | \$ 4,662 |
| 8.752-504.0 | | Standard | \$ 7,095 |
| 8.752-505.0 | | Heavy Duty | \$11,731 |
| 8.752-506.0 | | Ground Pad | \$ 1,888 |
| 8.752-507.0 | | TracMat | \$ 1,021 |
| 8.752-508.0 | 24' x 50' | Economy | \$ 5,621 |
| 8.752-509.0 | | Standard | \$ 9,355 |
| 8.752-510.0 | | Heavy Duty | \$15,048 |
| 8.752-511.0 | | Ground Pad | \$ 2,331 |
| 8.752-512.0 | | TracMat | \$ 1,293 |

STINGER SPILLPAL CONT.

| Part # | Size | Material | List Price |
|-------------|-----------|------------|------------|
| 8.752-513.0 | 24' x 60' | Economy | \$ 7,026 |
| 8.752-514.0 | | Standard | \$10,826 |
| 8.752-515.0 | | Heavy Duty | \$18,364 |
| 8.752-516.0 | | Ground Pad | \$ 2,771 |
| 8.752-517.0 | | TracMat | \$ 1,617 |
| 8.752-518.0 | 36' x 40' | Economy | \$ 6,540 |
| 8.752-519.0 | | Standard | \$10,317 |
| 8.752-520.0 | | Heavy Duty | \$17,445 |
| 8.752-521.0 | | Ground Pad | \$ 2,807 |
| 8.752-522.0 | | TracMat | \$ 1,021 |
| 8.752-523.0 | 36' x 50' | Economy | \$ 7,969 |
| 8.752-524.0 | | Standard | \$12,779 |
| 8.752-525.0 | | Heavy Duty | \$21,476 |
| 8.752-526.0 | | Ground Pad | \$ 3,486 |
| 8.752-527.0 | | TracMat | \$ 1,293 |
| 8.752-528.0 | 36' x 60' | Economy | \$ 9,683 |
| 8.752-529.0 | | Standard | \$15,555 |
| 8.752-530.0 | | Heavy Duty | \$25,555 |
| 8.752-531.0 | | Ground Pad | \$ 4,167 |
| 8.752-532.0 | | TracMat | \$ 1,617 |
| 8.752-533.0 | 48' x 60' | Economy | \$12,450 |
| 8.752-534.0 | | Standard | \$19,286 |
| 8.752-535.0 | | Heavy Duty | \$32,857 |
| 8.752-536.0 | | Ground Pad | \$ 5,526 |
| 8.752-537.0 | | TracMat | \$ 1,617 |

DRIPILLOW BERM

Comes in four sizes to capture small leaks and drips. With it's stable weighted base, it will not flip or splash in windy or harsh weather conditions. Replaceable UV Resistant Pads available for reorder.

FEATURES & BENEFITS:

- · No flipping or splashing
- Folds for easy carrying
 Weighted unit can hand

| Replaceable UV protected pad available | | |
|--|-------------------------------|------------|
| art No. | Description | List Price |
| 3.752-605.0 | Small - 22" L X 22" W X 3" H | \$ 64 |
| 3.752-606.0 | Medium - 24" L X 36" W X 3" H | \$ 79 |
| 3.752-607.0 | Large - 24" L X 54" W X 3" H | \$110 |

Replacement Pads

8.752-608.0

| Part No. | Description | List Price |
|-------------|-----------------|------------|
| 8.752-609.0 | Small - 5/box | \$ 74 |
| 8.752-610.0 | Medium - 5/box | \$112 |
| 8.752-611.0 | Large - 5/box | \$148 |
| 8.752-612.0 | X-Large - 5/box | \$257 |

X-Large - 38" L X 42" W X 3" H

\$150

STINGER RAIL BERM

Designed to provide a temporary bermed containment area around the valves below a rail tank car during loading/unloading operations. The berm provides a 4' x 4' x 12" sump area that sits in the void between the tracks directly under the valves.



FEATURES & BENEFITS:

 Outside sump compartment w/ 2" drains that include a male CAM-LOC fitting for quick coupling of system to hoses that can transport the spilled materials.

| Part No. | Description | List Price |
|-------------|-------------------|------------|
| 8.752-416.0 | Stinger Rail Berm | \$1,417 |

BERM ACCESSORIES

Tracmat™

Placed inside the berm, Tracmat™ allows trucks to drive in and out while protecting the berm from punctures and tears.



| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-458.0 | 4'L x 6'W | \$ 207 |
| 8.752-459.0 | 6'L x 6'W | \$ 207 |
| 8.752-460.0 | 8'L x 10'W | \$ 248 |
| 8.752-461.0 | 10'L x 10'W | \$ 288 |
| 8.752-462.0 | 12'L x 12'W | \$ 340 |
| 8.752-463.0 | 16'L x 16'W | \$ 410 |
| 8.752-464.0 | 10'L x 26'W | \$ 490 |
| 8.752-465.0 | 12'L x 36'W | \$ 848 |
| 8.752-466.0 | 15'L x 50'W | \$1,236 |
| 8.752-467.0 | 14'L x 54'W | \$1,257 |
| 8.752-468.0 | 12'L x 60'W | \$1,488 |
| 8.752-469.0 | 14'L x 66'W | \$1,536 |
| 8.752-470.0 | 14'L x 85"W | \$1,921 |

Removable Foam Log

User-friendly removable logs provide excellent protection from harsh chemicals and liquids.

| Part No. | Description | List Price |
|-------------|---|------------|
| 8.752-471.0 | Removable Foam Log, 64" L x 4.5" W x 4.5" H | \$69 |
| 8.752-472.0 | Removable Foam Log, 70" L x 4.5" W x 4.5" H | \$69 |

BERM ACCESSORIES CONT.

Ground Pad

Place under the berm directly on the ground and it will prevent underside punctures from sharp objects.



| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-445.0 | 4'L x 6'W | \$ 86 |
| 8.752-446.0 | 6'L x 6'W | \$ 110 |
| 8.752-447.0 | 8'L x 10'W | \$ 260 |
| 8.752-448.0 | 10'L x 10'W | \$ 305 |
| 8.752-449.0 | 12'L x 12'W | \$ 350 |
| 8.752-450.0 | 16'L x 16'W | \$ 683 |
| 8.752-451.0 | 10'L x 26'W | \$ 700 |
| 8.752-452.0 | 12'L x 36'W | \$ 933 |
| 8.752-453.0 | 15'L x 50'W | \$1,224 |
| 8.752-454.0 | 14'L x 54'W | \$1,340 |
| 8.752-455.0 | 12'L x 60'W | \$1,521 |
| 8.752-456.0 | 14'L x 66'W | \$1,662 |
| 8.752-457.0 | 14'L x 85"W | \$2,050 |

Storage & Transport Bag

Heavy-duty chemically-resistant bag for ease in maneuverability and storage.



| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-439.0 | 10'L x 10'W | \$393 |
| 8.752-440.0 | 16'L x 16'W | \$417 |
| 8.752-441.0 | 10'L x 26'W | \$440 |
| 8.752-442.0 | 12'L x 36'W | \$464 |
| 8.752-443.0 | 14'L x 54'W | \$488 |
| 8.752-444.0 | 14'L x 85'W | \$595 |

BERM REPAIR KITS

STANDARD Berm Repair Kit Contents:

• (5) 8" x 11" Peel & Stick Sheets

DELUXE Berm Repair Kit Contents:

- (1) Leister Professional Heat Gun
- XR material 1 sq. yard (Black)
- PVC material 1 sq. yard (Yellow)
- (4) replacement Berm Stays
- (5) Peel and Stick Berm Patches
- (1) Rubber Brayer Roller
- (1) Cutting Knife
- (1) Locking Tool Box



DELUXE Berm Repair Kit

| Part No. | Description | List Price |
|-------------|--|------------|
| 8.752-413.0 | Standard Berm Repair Kit | \$ 45 |
| 8.752-414.0 | Deluxe Berm Repair Kit (for 8" sidewalls) | \$1,786 |
| 8.752-415.0 | Deluxe Berm Repair Kit (for 12" sidewalls) | \$1,786 |

BAZOOKA TRICKLE FILTER W/ AUTO SHUTOFF

Bazooka is an automated shut off system that allows water drainage of containment berm applications. It utilizes an innovative system for detection of Class I and II organics, such as diesel fuel.

FEATURES & BENEFITS:



BAZOOKA (shown w/ installation kit)

- Trickle filter allows water flow rate of 20 gallons per hour
- Unique Imbiber Bead Imblicator pre-filter signals presence of organic substance with a distinct color change
- Imbiber beads inside capture the organic substance, and by doing so, shut off flow through the filter
- · Absorbs and locks up to 2 liters of hydrocarbons
- Flat bottom to prevent rolling and movement

| Part No. | Description | List Price |
|-------------|-----------------------------|------------|
| 8.752-761.0 | Bazooka | \$726 |
| 8.752-762.0 | Bazooka w/ Installation Kit | \$857 |

PROWLER POOLS

Prowler Pop-up Pools™ offer excellent resistance to the widest range of chemicals, acids, fuels, and other hazardous materials.

They are also resistant to abrasions, punctures, UV Rays, and cold temperatures as low as -60° F.



| Part No. | Description | List Price |
|-------------|-------------------|------------|
| 8.752-635.0 | Small (20-Gal) | \$102 |
| 8.752-637.0 | Medium (66-Gal) | \$145 |
| 8.752-632.0 | Large (100-Gal) | \$155 |
| 8.752-636.0 | X-Large (150-Gal) | \$167 |

DUCK PONDS

Duck Ponds are the perfect mini-berm containment for projects where storage space is limited. Small enough to fit in a cabinet or store on a shelf, a Duck Pond can hold various drum sizes with ease and affordability. Providing both reliable and reusable secondary containment for oils, fluids, and gasolines,

ponds are easy to maneuver and the perfect quick-grab item that is rugged and ideal for small areas for rapid deployment.





SEE PG. 45-48 FOR CHEMICAL

COMPATIBILITY

FEATURES & BENEFITS:

- Can withstand extreme cold temperatures to -55°F / -48°C
- Available in various sizes
- Low-profile (4") sidewalls
- Leak tested

GREAT FOR:

- Quick use under leaking vehicles / machines
- Truck / tractor emergency drips
- A low-sidewall pop-up pool alternative
- · Changing oils / fluids
- · Protecting bottom surfaces while dispensing
- · Performing maintenance on any item that has a spill potential

2' x 2' x 4"

Sump Capacity: 10 Gallons Dims: 2' L x 2' W x 4" H

2' x 3' x 4"I

Sump Capacity: 15 Gallons Dims: 2' L x 3' W x 4" H

2' x 4' x 4"

Sump Capacity: 20 Gallons Dims: 2' L x 4' W x 4" H

3' x 3' x 4"

Sump Capacity: 22.5 Gallons Dims: 3' L x 3' W x 4" H

4' x 4' x 4'

Sump Capacity: 40 Gallons Dims: 4' L x 4' W x 4" H

4' x 6' x 4"

Sump Capacity: 60 Gallons Dims: 4' L x 6' W x 4" H

| Part No. | Description | List Price |
|-------------|--------------|------------|
| 8.752-971.0 | 2' x 2' x 4" | \$155 |
| 8.752-972.0 | 2' x 3' x 4" | \$167 |
| 8.752-973.0 | 2' x 4' x 4" | \$190 |
| 8.752-974.0 | 3' x 3' x 4" | \$214 |
| 8.752-975.0 | 4' x 4' x 4" | \$262 |
| 8.752-976.0 | 4' x 6' x 4" | \$286 |

HAZMAT POOL

Quick deployment pool that is small enough to be stored on any truck or emergency response vehicle. Decontaminate for reuse or discard according to regulations.




| Part No. | Description | List Price |
|-------------|----------------------|------------|
| 8.752-633.0 | Hazmat Pool | \$155 |
| 8.752-634.0 | Hazmat Pool w/ Drain | \$214 |



POLY-DOLLY®

A U-shaped barrel platform and double looped strap make for easy loading. Lightweight design, kick plate, and rolled-grip handles make for easy tipping.

Transports 55-gallon drums with ease, tilts to become an efficient self-dispensing station, and acts as its own secondary containment unit. By reducing unnecessary and dangerous drum handling, Poly-Dolly ® protects workers, improves efficiency, and helps improve profits.





Conversion Kit

Prices subject to change without notice







Poly-Dolly® ATD

| Part No. | Description | List Price |
|-------------|----------------------------|------------|
| 8.752-581.0 | Poly-Dolly® | \$740 |
| 8.752-582.0 | Poly-Dolly® ATD | \$881 |
| 8.752-583.0 | Poly-Dolly® Conversion Kit | \$226 |
| 8.752-642.0 | Universal Well Liner | \$ 71 |
| 8.752-584.0 | Poly-Dolly® Tarp | \$250 |

Poly-Dolly® ATD

Need an even more rugged dolly for outdoor terrain? Poly-Dolly® is available as an All-Terrain Dolly® or can easily be converted into one with our Poly-Dolly Conversion Kit.



Poly-Dolly®

Sump Capacity: 70 Gallons Handling Capacity: 600 lbs Dims: 69" L x 31.75" W x 26.5" H

Poly-Dolly® ATD

Sump Capacity: 70 Gallons Handling Capacity: 600 lbs Dims: 69" L x 32.5" W x 26.5" H

Page 13



THE MINI-RACKER™ SYSTEM

The Mini Racker-Stacker™ System helps save liquids that are routinely lost during the dispensing process and helps protect worker safety by keeping the dispensing area neat and clean.

FEATURES & BENEFITS (Mini-Racker):

- Holds (2) 5-6.5 gallon containers
- · Enclosed sump
- Made of 100% polyethylene construction that is UV resistant and chemical resistant
- Can be combined with the mini stacker unit to add an extra level of storage, or seperately with another containment solution.

Also available: the Mobile Mini Racker System, which includes the Mini Racker with wheels and a handle for easy transportation throughout the plant. It fits easily through standard doorways.



Mobile Unit - handle flips up

FEATURES & BENEFITS (Mini-Stacker):

- Holds (2) 5-6.5 gallon containers
- Made of 100% polyethylene construction that is UV resistant and chemical resistant
- Can be combined with the Mini Racker unit to add an extra level of storage, or separately with another containment solution.



Mini-Stacker Shown with Workstation (Pg. 6)

Mini-Racker®

Sump Capacity: 8 Gallons Handling Capacity: 200 lbs Dims: 31" L x 29" W x 15" H

Mini-Stacker®

Mini-Stacker


Mini-Racker

Handling Capacity: 100 lbs **Dims:** 31" L x 19" W x 18.25" H

| Part No. | Description | List Price |
|-------------|-------------------------|------------|
| 8.752-645.0 | MINI-RACKER | \$179 |
| 8.752-646.0 | MINI-RACKER MOBILE UNIT | \$440 |
| 8.752-647.0 | MINI-STACKER | \$131 |

THE POLY-RACK™ SYSTEM


The centerpiece of the Poly-Rack™ System is the Poly-Racker™: a unique one-piece polyethylene rack that holds two (2) 55-gallon drums securely in place. Poly-Stacker™ can quickly be stacked with a forklift. The Poly-Shelf™ easily attaches to a Poly-Stacker™ and allows simultaneous dispensing from all drums. A hole in the bottom of the Poly-Shelf™ drains into the dispensing well in the Poly-Racker™.



| Part No. | Description | List Price |
|-------------|--------------|------------|
| 8.752-638.0 | POLY-RACKER | \$755 |
| 8.752-639.0 | POLY-STACKER | \$329 |
| 8.752-640.0 | POLY-SHELF | \$117 |

SINGLE POLY-RACKER™ SYSTEM

An economical, space-saving solution to storing and dispensing from 55-gallon drums.



FEATURES & BENEFITS:

- Universal Well Line and Poly Shelf
- Allows for stacking of a second 55-gallon drum
- Weight capacity of 1,600 lbs

Sump Capacity: 66 gallons Dims: 31" L x 40.75" W x 20" H

| Part No. | Description | List Price |
|-------------|---------------------|------------|
| 8.752-643.0 | SINGLE POLY-RACKER | \$417 |
| 8.752-644.0 | SINGLE POLY-STACKER | \$250 |
| 8.752-640.0 | POLY-SHELF | \$117 |

MULTI-PURPOSE RACKER/STACKER™

Maximize shop floor space with the Multi-Purpose Racker/Stacker.

FEATURES & BENEFITS:

- Holds (2) 55-gallon drums. The stackable unit allows you to double your efficiency and store up to (4) 55-gallon drums.
- Combine with Poly Slim Line 6000 pallet (PN # 8.752-543.0) to be EPA compliant
- Use with poly shelf (PN #8.752-640.0) for easy dispensing into 5-gallon pails

| Part No. | Description | List Price |
|-------------|------------------------------|------------|
| 8.752-641.0 | MULTI-PURPOSE RACKER/STACKER | \$381 |



POLY SPILLCART™

Poly-Spillcart™ eliminates the risk of spills during transport with its large sump capacity. Caster wheels let you move around freely while its ergonomically-designed handle makes maneuvering a breeze. A tray for tool storage keeps tools clean and handy. The structural foam grate removes for easy cleaning while the drain plug lets you drain the sump without effort.



Dims: 66.5" L x 29" W x 43.88" H

| Part No. | Description | List Price |
|-------------|--------------------|------------|
| 8.752-567.0 | Poly-Spillcart | \$ 917 |
| 8.752-568.0 | Poly-Spillcart ATC | \$1,071 |

SPILL SCOOTER™

Provides secondary containment for incidental spills and drips that often occur during vertical dispensing applications. Spills and drips are contained in the well with a spout for easy draining. The Spill Scooter™ fits all drums up to 55 gallons.



Shown w/ optional T-Handle (PN #8.752-570.0)

FEATURES & BENEFITS:

- Meets secondary containment regulations
- Made of 100% polvethylene will not rust or corrode
- Fits all drums up to 55 gallons

| Part No. | Description | List Price |
|-------------|----------------------|------------|
| 8.752-569.0 | Spill Scooter | \$207 |
| 8.752-570.0 | Spill Scooter Handle | \$ 48 |







Poly-Spillcart™ ATC

Available as an All-Terrain Cart or can easily be converted into one with the conversion kit. The ATC's heavy-duty solid rubber wheels and durable axle are designed to handle even the most demanding environments smoothly.



UNIVERSAL WELL LINER

Provides extra spill protection and makes clean-up fast and easy. Used with both racking systems.



| Part No. | Description | List Price |
|-------------|----------------------|------------|
| 8.752-642.0 | Universal Well Liner | \$71 |

OVAC™ 100 & PLUS

Pumps liquid directly into a standard drum for convenient storage or recycling. A liquid overflow shutoff valve ensures vacuum automatically turns off when drum is full. Works on shop air.





Q-VAC 100™ PLUS Drum optional, but not included. Spill Scooter included in Plus model.

| Part No. | Description | List Price |
|-------------|--|------------|
| 8.752-669.0 | QVAC 100 | \$ 821 |
| 8.752-668.0 | QVAC 100 PLUS (includes Spill Scooter) | \$1,024 |

DRUMS UP™ & DRUMS UP JR™

Drums-Up[™] and Drums-Up Jr. $^{™}$ let you control nuisance spills from drums sized up to 55 gallons. Includes a newly enhanced pour spout. Ideal for use as a drum pumping station.







DRUMS-UP™

| Part No. | Description | List Price |
|-------------|--|------------|
| 8.752-666.0 | Drums Up (for up to 55-gallon drums) | \$112 |
| 8.752-667.0 | Drums Up Jr (for 16-gallon drums / 5-gallon pails) | \$ 83 |



OUR SECONDARY CONTAINMENT OPTIONS MEET EPA / CFR REGULATIONS!

POLY-TANK™ CONTAINMENT UNITS

Designed for the widely-used 275-gallon obround tank, and the 550-Gallon skid tank, the Poly-Tank Containment Units help protect against hazardous and costly spills and prevent harmful spills from contaminating





PN 8.752-580.0, See Pg. 7

275-GALLON 82.38"L x 45"W x 35.38"H

| Part No. | Description | List Price |
|-------------|-----------------------|------------|
| 8.752-577.0 | Poly-Tank 275 | \$569 |
| 8.752-578.0 | Poly-Tank 275 w/DRAIN | \$607 |
| 8.752-580.0 | Poly-Tank 275 TARP | \$321 |





Optional Tarp, PN 8.752-599.0, See Pg. 7

550-GALLON 113"L x 71"W x 32"H

| Part No. | Description | List Price |
|-------------|-----------------------|------------|
| 8.752-597.0 | Poly-Tank 550 | \$821 |
| 8.752-598.0 | Poly-Tank 550 w/DRAIN | \$857 |
| 8.752-599.0 | Poly-Tank 550 TARP | \$393 |
| 8.752-600.0 | BULKHEAD FITTING 3" | \$ 48 |



fittings make pumping and draining simple







POLY-SAFETYPACKS™

This tough, indoor or outdoor performer protects two 55-gallon drums while containing leaks. Drum access and removal is easy with our unique gull-wing covers. Items inside are protected from the weather with our unique slide-over design.

Plus models feature 54.25" inside height, allowing the lids to be closed with the pumps in place to create a versatile pumping station. Convenience meets functionality with its larger 264 gallon capacity. Models w/ drain available.

FEATURES & BENEFITS:

- 130 gallon sump capacity
- Security locks to secure the covers and contents
- 100% UV/chemical resistant polyethylene
- Translucent sidewalls to view contents inside
- Forkliftable
- · Optional drain available





POLY-SAFETYPACK

Poly-Safetypack®

Sump Capacity: 130 Gallons Handling Capacity: 1200 lbs

Dims Ext: 60.5" L X 37.25" W X 45.75 H" **Dims Int:** 52.37" L X 26.25" W X 37 H"



POLY-SAFETYPACK PLUS

Poly-Safetypack® Plus

Sump Capacity: 264 Gallons Handling Capacity: 1200 lbs

Dims Ext: 60..25" L X 34.13" W X 64 H" Dims Int: 51.25" L X 26.25" W X 54.25 H"

| Part No. | Description | List Price |
|-------------|-------------------------------|------------|
| 8.752-361.0 | Poly-Safetypack | \$1,012 |
| 8.752-362.0 | Poly-Safetypack w/ Drain | \$1,036 |
| 8.752-363.0 | Poly-Safetypack Plus | \$1,179 |
| 8.752-364.0 | Poly-Safetypack Plus w/ Drain | \$1,190 |

LARGE & EXTRA-LARGE TOTES

Totes are the only stackable, nestable, forkliftable, water resistant, mobile totes on the market. Available in two sizes: large and extra-large. Both offer a 500 lb handling capacity. Molded from FDA approved material.



S. Shown w/ 8" Wheels

Combo includes: Lid with handles and either 4" polyurethane wheels or 8" solid rubber wheels.

Sump Capacity: 123 Gallons Handling Capacity: 500 lbs Dims Ext: 45" L X 35.5" W X 30.37 H"

Large Tote

Dims Int: 34" L X 25" W X 24.25 H"

Extra-Large Tote
Sump Capacity: 223 Gallons
Handling Capacity: 500 lbs

Dims Ext: 51.5" L X 47.25" W X 33 H" **Dims Int:** 42.5" L X 37" W X 28 H"

| Part No. | Description | List I | Price |
|-------------|---------------------------------|--------|-------|
| 8.752-349.0 | Large Tote w/ Lid | \$ | 426 |
| 8.752-350.0 | Large Tote w/ Lid & 4" Wheels | \$ | 757 |
| 8.752-351.0 | Large Tote w/ Lid & 8" Wheels | \$ | 948 |
| 8.752-347.0 | Large Tote Bin (no lid) | \$ | 243 |
| 8.752-348.0 | Lid for Large Tote Bin | \$ | 183 |
| 8.752-355.0 | X-Large Tote w/ Lid | \$ | 519 |
| 8.752-356.0 | X-Large Tote w/ Lid & 4" Wheels | \$ | 855 |
| 8.752-357.0 | X-Large Tote w/ Lid & 8" Wheels | \$1 | ,043 |
| 8.752-353.0 | X-Large Tote Bin (no lid) | \$ | 305 |
| 8.752-354.0 | Lid for X-Large Tote Bin | \$ | 217 |
| 8.752-352.0 | 4" Polyurethane Wheel Kit | \$ | 226 |
| 8.752-358.0 | 8" Solid Rubber Wheel Kit | \$ | 393 |
| | | | |

HAZARD HUT

One-piece molded 100% polyethylene construction means there are no joints or seams to leak. Molded-in side vents reduce fumes, while UV protection makes it a durable performer outside. Removable grates make it easy to clean and the 72-gallon sump capacity ensures leak and spill containment.

FEATURES & BENEFITS:

- Double lockable doors
- Handles up to (4) 55 gal drums
- Four way forkliftable





HAZARD HUT POLY-RAMP

Sump Capacity: 72 Gallons Handling Capacity: 4000 lbs

Dims Ext: 63.5" L X 68" W X 72.5 H" **Dims Int:** 53.75" L X 53.75" W X 52.25 H"

| Part No. | Description | List Price |
|-------------|----------------------|------------|
| 8.752-378.0 | Hazard Hut | \$2,369 |
| 8.752-379.0 | Hazard Hut Poly-Ramp | \$ 821 |

JOB HUT™

An extra large storage area lets you store up to eight 55-gallon drums right on their pallets! Its low profile design allows for easy access, and it's forkliftable from all sides for effortless handling.

The Job Hut™ offers substantial savings when compared to similar metal or concrete storage buildings, while providing superior performance.

The optional ramp facilitates loading your drums into the unit.

FEATURES & BENEFITS:

100% polyethylene with UV inhibitors for increased durability -

Three removable structural foam grates hold 8,000 lbs handling capacity weight

Low profile design allows for easy access. Extra-wide 57" x 78" doorway allows for easy forklift entry

4-way forkliftable design for ease in handling

Two heavy-duty, double-walled doors for added security -

Built-in 72-gallon sump capacity —



Sump Capacity: 72 Gallons Handling Capacity: 8000 lbs

Dims Ext: 85.6" L X 61.5" W X 94 H" **Dims Int:** 70" L X 51" W X 82 H"

| Part No. | Description | List Price |
|-------------|-------------------------|------------|
| 8.752-380.0 | Job Hut | \$4,688 |
| 8.752-557.0 | Multi-Purpose Work Ramp | \$ 274 |







Foam grates remove for easy cleaning

Tie-down Feature

Work Ramp

POLY-EDGE

The lockable, large capacity unit offers storage for tools and absorbents as well as Stinger Berms and Prowler Pools.

FEATURES & BENEFITS:

- Will not rust or corrode
- Constructed of lightweight 100% polyethylene
- · Slotted footprint makes mounting easy
- A special weather and water-resistant gasket keeps stored items dry
- · Available in black and yellow



Handling Capacity: 75 lbs Dims: 35" L x 20" W x 16" H

| Part No. | Description | List Price |
|-------------|--------------------|------------|
| 8.752-360.0 | Poly-Edge (yellow) | \$179 |
| 8.752-359.0 | Poly-Edge (black) | \$179 |



Check out our Poly-Spill Pallet Hardcover Options on Pages 5 & 6

IBC-2000i

Integrated IBC 2000i gives intermediate bulk container users more versatile spill containment. It comes with an integrated 5-gallon pail holder for quick and easy dispensing.

The IBC 2000iTM is the only one-piece, light weight, 100% polyethylene IBC spill containment unit that is forkliftable and nestable for convenient shipment and storage and it reduces shipping costs.

FEATURES & BENEFITS:

Grates on the center pedestal offer skid resistance and facilitate loading

Integrated pail holder for quick and easy dispensing

Features a large sump capacity of 385 gallons, exceeding EPA 40 CFR 264.175 regulations

Nestable -

Removable grates for easy clean up

The unit's 8,000 lbs load capacity allows two IBC's to be safely stacked on top of the sump.

Forklift channels for easy transport of empty containment device

| Part No. | Description | List Price |
|-------------|--------------------|------------|
| 8.752-591.0 | IBC 2000i | \$1,821 |
| 8.752-592.0 | IBC 2000i w/ Drain | \$1,857 |
| 8.752-593.0 | IBC 2000i Tarp | \$ 560 |

Sump Capacity: 385 Gallons Handling Capacity: 8000 lbs

Typical installations for IBC tank

Dims Ext: 73" L X 80.5" W X 29.5 H"
Dims Ped: 56.75" L X 56.75" W X 29.5 H"

DOUBLE IBC 4000i

With 12 heavy-duty removable and stackable grates, you will save on freight while not sacrificing quality and durability. With over a 750 gallon sump capacity, the wide platform shelf accepts two IBC units and holds up to a 10,000 pound handling capacity.



FEATURES & BENEFITS:

- 100% polyethylene
- UV and chemical resistance
- 4 way forkliftable and nestable for convenient shipping and storage
- · Link and Lock grate design enhances stability

Sump Capacity: 750 Gallons **Handling Capacity:** 10,000 lbs

Dims Ext: 113" L X 72" W X 32 H"

| Part No. | Description | List Price |
|-------------|---------------------------|------------|
| 8.752-594.0 | Double IBC 4000i | \$2,262 |
| 8.752-595.0 | Double IBC 4000i w/ Drain | \$2,310 |
| 8.752-596.0 | IBC 4000i TARP | \$ 595 |




EASY AS 1, 2, 3!









3 LOAD

POLY-COLLECTOR™ 66 & 110

The Poly Collector (Portable Hazardous Materials Collection System) puts mobility into containment so you can go where the waste is. These drum dolly mounted containers are built tough from UV- stabilized polyethylene for excellent chemical resistance to a broad range of industrial materials.



Poly-Collector™ 110 The Outdoor System

| | Poly-Collector™ 66 | Poly-Collector™ 110 |
|---------------------|-----------------------------|-----------------------------|
| Handling Capacity | 600 lbs | 600 lbs |
| Drum Size | up to 55 gallons | up to 55 gallons |
| Sump Capacity | 70 gallons | 103 gallons |
| Exterior Dimensions | 32.5" L x 32.5" W x 42.5" H | 31.75" L x 31.75" W x 49" H |



OIL ONLY, AGGRESSIVE & UNIVERSAL SPILL KITS

Our Spill Kits contain everything needed to safely and effectively clean up any hazardous spill. These highly visible containers keep spill response products readily available so you can avoid a costly problem. Complete with protective gear and a wide range of sorbent tools, these kits will stand up to the challenge.

SPILL KIT COMPATIBILITY:

- OIL ONLY SPILL KITS (WHITE): For Oil Only (Does Not Absorb Water)
- UNIVERSAL SPILL KITS (GRAY): For Oils, Water, Coolants, Solvents, & More
- AGGRESSIVE SPILL KITS (YELLOW): For Acids, Bases & Unknown Liquids

SEE PG. 26 FOR SPILL KIT REFILLS



20-Gallon Spill Kits

Each kit contains:

- 1 (20-gal) Salvage Drum
- 1 (1-gal) Jug of ENSORB®
- 20 Pads
- 1 Large Sock
- 6 Medium Socks
- 1 Pack Wipers
- 2 Disposal Bags w/ Ties
- 1 Pair Nitrile Gloves
- 1 Pair Safety Goggles
- 1 Emergency Response Guide
- 1 Instruction Sheet and MSDS

Absorbs up to 11-gal (42 liters)

| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-283.0 | OIL ONLY | \$202 |
| 8.752-279.0 | UNIVERSAL | \$202 |
| 8.752-281.0 | AGGRESSIVE | \$250 |



30-Gallon Spill Kits

Each kit contains:

- 1 (30-gal) Salvage Drum
- 1 (1-gal) Jug of ENSORB®
- 50 Pads
- · 2 Large Sock
- 6 Medium Socks
- 1 Pack Wipers
- 2 Disposal Bags w/ Ties
- 1 Pair Nitrile Gloves
- 1 Pair Safety Goggles
- 1 Emergency Response Guide
- 1 Enlergency Response Guide
 1 Instruction Sheet and MSDS

Absorbs up to 23-gal (87 liters)

| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-289.0 | OIL ONLY | \$274 |
| 8.752-285.0 | UNIVERSAL | \$274 |
| 8.752-287.0 | AGGRESSIVE | \$333 |



65-Gallon Spill Kits

Each kit contains:

- 1 (65-gal) Salvage Drum
- 1 (1-gal) Jug of ENSORB®
- 50 Pads
- 8 Large Sock
- 12 Medium Socks
- 1 Pack Wipers
- 4 Disposal Bags w/ Ties
- 2 Pair Nitrile Gloves
- 2 Pair Safety Goggles
- 1 Emergency Response Guide
- 1 Instruction Sheet and MSDS

Absorbs up to 41-gal (155 liters)

| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-321.0 | OIL ONLY | \$583 |
| 8.752-317.0 | UNIVERSAL | \$583 |
| 8.752-319.0 | AGGRESSIVE | \$755 |

OIL ONLY, AGGRESSIVE & UNIVERSAL SPILL KITS (Cont.)



95-Gallon Spill Kits

Each kit contains:

- 1 (95-gal) Salvage Drum
- 1 (1-gal) Jug of ENSORB®
- 100 Pads
- 10 Large Sock
- 16 Medium Socks
- 1 Pack Wipers
- · 5 Disposal Bags w/ Ties
- · 2 Pair Nitrile Gloves
- · 2 Pair Safety Goggles
- 1 Emergency Response Guide
- 1 Instruction Sheet and MSDS

Absorbs up to 62-gal (235 liters)

| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-333.0 | OIL ONLY | \$679 |
| 8.752-329.0 | UNIVERSAL | \$679 |
| 8.752-331.0 | AGGRESSIVE | \$869 |





Locking

95-Gallon Envirosalv Locking Spill Kits

Each kit contains:

- 1 (95-gal) Salvage Drum
- 1 (1-gal) Jug of ENSORB®
- 100 Pads
- 10 Large Sock
- 16 Medium Socks
- · 1 Pack Wipers
- 5 Disposal Bags w/ Ties
- · 2 Pair Nitrile Gloves
- 2 Pair Safety Goggles
- 1 Emergency Response Guide
- 1 Instruction Sheet and MSDS

Absorbs up to 62-gal (235 liters)

| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-339.0 | OIL ONLY | \$738 |
| 8.752-335.0 | UNIVERSAL | \$738 |
| 8.752-337.0 | AGGRESSIVE | \$929 |



95-Gallon Eco Spill Kits

Each kit contains:

- 1 (95-gal) Salvage Drum
- 1 (1-gal) Jug of ENSORB®
- 100 Pads
- 10 Large Sock
- 16 Medium Socks
- 1 Pack Wipers
- 5 Disposal Bags w/ Ties
- · 2 Pair Nitrile Gloves
- · 2 Pair Safety Goggles
- 1 Emergency Response Guide
- . 1 Instruction Sheet and MSDS

Absorbs up to 62-gal (235 liters)

| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-979.0 | OIL ONLY | \$645 |
| 8.752-977.0 | UNIVERSAL | \$645 |
| 8.752-978.0 | AGGRESSIVE | \$826 |





50-Gallon Wheeled Spill Kits

Each kit contains:

- 1 (50-gal) Salvage Drum
- 1 (1-gal) Jug of ENSORB®
- 40 Pads
- 5 Large Sock
- 10 Medium Socks
- 1 Pack Wipers
- 4 Disposal Bags w/ Ties
- 2 Pair Nitrile Gloves
- 2 Pair Safety Goggles
- 1 Emergency Response Guide
- · 1 Instruction Sheet and MSDS

Absorbs up to 31-gal (117 liters)

| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-315.0 | OIL ONLY | \$490 |
| 8.752-311.0 | UNIVERSAL | \$490 |
| 8.752-313.0 | AGGRESSIVE | \$638 |



95-Gallon Wheeled Spill Kits

Each kit contains:

- 1 (95-gal) Salvage Drum
- 1 (1-gal) Jug of ENSORB®
- 100 Pads
- 10 Large Sock
- 16 Medium Socks
- 1 Pack Wipers
- 5 Disposal Bags w/ Ties
- 2 Pair Nitrile Gloves
- · 2 Pair Safety Goggles
- 1 Emergency Response Guide
- 1 Instruction Sheet and MSDS

Absorbs up to 62-gal (235 liters)

| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-345.0 | OIL ONLY | \$750 |
| 8.752-341.0 | UNIVERSAL | \$750 |
| 8.752-343.0 | AGGRESSIVE | \$940 |

LARGE & EXTRA LARGE TOTE SPILL KITS





Large Tote contains:

- 1 Large Tote w/ 4" wheel set
- 150 Pads
- 10 Large Socks
- 30 Medium Socks
- 1 (1.5 cubic ft) Bag of ENSORB®
- · 1 Pack Wipers
- 15 Disposal Bags w/ Ties
- 2 Pair Nitrile Gloves
- 2 Pair Safety Goggles
- 1 Emergency Response Guide
- · 1 Instruction Sheet and MSDS Absorbs up to 95-gal (360 liters)

- 200 Pads
- 18 Large Socks
- 60 Medium Socks
- 1 (1.5 cubic ft) Bag of ENSORB®
- 1 Pack Wipers
- 20 Disposal Bags w/ Ties
- 2 Pair Safety Goggles
- 1 Instruction Sheet and MSDS

Absorbs up to 150-gal (568 liters)

X-Large Tote contains:

- 1 Large Tote w/ 4" wheel set

- 2 Pair Nitrile Gloves
- 1 Emergency Response Guide

Part No. Description **List Price** 8.752-309.0 Large Tote Spill Kit - OIL ONLY \$1,250 8.752-305.0 Large Tote Spill Kit - UNIVERSAL \$1,250 8.752-307.0 Large Tote Spill Kit - AGGRESSIVE \$1,443 \$1,902 8.752-327.0 X-Large Tote Spill Kit - OIL ONLY 8.752-323.0 X-Large Tote Spill Kit - UNIVERSAL \$1,902 8.752-325.0 X-Large Tote Spill Kit - AGGRESSIVE \$2,250

WALL MOUNT SPILL LOCKERS

Keep your Spill Kits at eye level with Spill Lockers. Loaded with everything you will need to absorb your Spills, from factory floors to utility kitchens. Two sizes and refills available.



Each Large Kit Contains:

- 1 Wall Locker
- 1 (1-gal) Jug of ENSORB®
- 25 Pads
- 4 Pillows
- 4 Medium Socks
- 1 Pack Wipers
- 1 Pair Nitrile Gloves
- 1 Pair Safety Goggles
- 4 Disposal Bags w/ Ties
- Hand Seal
- 1 Emergency Response Guide
- · Instruction Sheet and MSDS(s)

Absorbs up to 15-gal (56.8 liters)

Each X-Large Kit Contains:

- 1 Wall Locker
- 1 (1-gal) Jug of ENSORB®
- 50 Pads
- 6 Pillows
- 7 Medium Socks
- 1 Pack Wipers
- 2 Pair Nitrile Gloves
- 2 Pair Safety Goggles
- 4 Disposal Bags w/ Ties
- Hand Seal
- 1 Emergency Response Guide
- Instruction Sheet and MSDS(s)

Absorbs up to 25-gal (94.6 liters)

| Part No. | Description | List Price |
|-------------|---|------------|
| 8.752-240.0 | Large Wall Mount Spill Locker - OIL ONLY | \$417 |
| 8.752-236.0 | Large Wall Mount Spill Locker - UNIVERSAL | \$417 |
| 8.752-238.0 | Large Wall Mount Spill Locker -AGGRESSIVE | \$452 |
| 8.752-246.0 | X-Large Wall Mount Spill Locker - OIL ONLY | \$476 |
| 8.752-242.0 | X-Large Wall Mount Spill Locker - UNIVERSAL | \$476 |
| 8.752-244.0 | X-Large Wall Mount Spill Locker -AGGRESSIVE | \$524 |

MULTI-RESPONDER SHT SPILL KITS

Seriously Hazardous and Toxic

Dealing with Seriously Hazardous and Toxic materials? Look no further! The most extreme weapon when it comes to fighting spills. Complete with the widest range of sorbent tools and protective gear, these kits will stand up to your biggest, toughest, dirtiest challenge.



Each 30-Gal Kit Contains:

- 1 P.P.E Spill Pak
- 1 (1-gal) Jug of ENSORB®
- 1 (500-gram) Bag Chemklenz®
- · 1 Hand Carried Universal Spill Kit
- 1 Hand Carried Aggressive Spill Kit
- 1 Hand Carried Oil Only Spill Kit
- 1 Leak Repair Kit
- 1 (20-gal) Prowler® Pool
- 1 Caution Sign

Absorbs up to 39-gal (148 liters)

- 1 Collapsible Shovel
- 1 Dustpan Combo
- 1 Broom Head
- 1 Telescoping Handle
- 45 Pads
- 6 Medium Socks
- 6 Pair Nitrile Gloves
- 3 Pair Safety Googles
- 9 Disposal Bags w/ Ties

- Each 50-Gal Kit Contains: • 1 P.P.E Spill Pak
- 1 (1-gal) Jug of ENSORB®
- 1 (500-gram) Bag Chemklenz®
- 1 Hand Carried Universal Spill Kit
- 1 Hand Carried Aggressive Spill Kit
- 1 Hand Carried Oil Only Spill Kit
- 1 Leak Repair Kit 1 (20-gal) Prowler® Pool
- 1 Caution Sign

Absorbs up to 39-gal (148 liters)

- Each 95-Gal Kit Contains:
- 1 P.P.E Spill Pak
- 1 (1-gal) Jug of ENSORB®
- 3 (1-qt) bags of ENSORB®
- 1 Shaker Chemklenz®
- 1 Speedy Duffel Universal Spill Kit
- 1 Speedy Duffel Aggressive Spill Kit 1 Speedy Duffel Oil Only Spill Kit
- 1 Leak Repair Kit
- 1 (20-gal) Prowler® Pool

- 1 Collapsible Shovel
- 1 Dustpan Combo
- 1 Broom Head
- 1 Telescoping Handle
- 45 Pads
- 6 Medium Socks
- 6 Pair Nitrile Gloves
- 3 Pair Safety Goggles • 9 Disposal Bags w/ Ties
- 1 Collapsible Shovel
- 1 Dustpan Combo
- 1 Broom Head
- 1 Telescoping Handle
- 60 Pads 9 Medium Socks
- 6 Pair Nitrile Gloves
- 6 Pair Safety Googles • 6 Disposal Bags w/ Ties

| • 10 | Caution | Sign | | |
|--------|---------|--------|------|---------|
| Absorb | s up to | 51-gal | (193 | liters) |

| Part No. | Description | List Price |
|-------------|--|------------|
| 8.752-248.0 | 30-Gal Multi-Responder SHT Kit | \$ 881 |
| 8.752-249.0 | 50-Gal Wheeled Multi-Responder SHT Kit | \$1,083 |
| 8.752-250.0 | 95-Gal Multi-Responder SHT Kit | \$1,298 |
| 8.752-251.0 | 95-Gal ECO Multi-Responder SHT Kit | \$1,298 |
| 8.752-252.0 | 95-Gal Wheeled Multi-Responder SHT Kit | \$1,369 |

SEE PG. 26 FOR SPILL KIT REFILLS

ENSORB® SPILL STATIONS & VEHICLE SPILL KITS

Each Spill Station Contains:

- 1 Wire Rack
- 1 (1-gal) Jug of ENSORB®
- 10 Trash Bags
- 1 Dustpan
- 1 Hand Broom
- 1 Universal Spill Kit Sticker
- 1 MSDS

Absorbs up to 1-gal (3.8 liters)

Each Spill Station DELUXE Contains:

- · 1 Wire Rack
- 1 (1-gal) Jug of ENSORB®
- 50 Trash Bags
- 1 Box Latex Gloves
- 1 Dustpan
- 1 Hand Broom
- 1 Universal Spill Kit Sticker
- 1 Caution Sign
- 1 Telescoping Broom Handle
- 1 Broom Head
- 1 MSDS

Absorbs up to 1-gal (3.8 liters)

Each Super Absorbent Spill Kit Contains:

- 1 Water Resistant Nylon Zippered Tote
- 2 (1-gal) Jug of ENSORB®
- 1 Broom Head
- 1 Telescoping Broom Handle
- 1 Dustpan / Brush Combo
- · 10 Disposal Bags w/ Ties
- · 1 Pair Safety Goggles
- · 1 Pair Nitrile Gloves

Absorbs up to 2-gal (7.6 liters)

| Part No. | Description | List Price |
|-------------|-----------------------------------|------------|
| 8.752-217.0 | ENSORB® Spill Station | \$107 |
| 8.752-218.0 | ENSORB® Spill Station Deluxe | \$214 |
| 8.752-219.0 | ENSORB® Super Absorbent Spill Kit | \$155 |

ECONO SAFETY PAIL SPILL KITS

Looking for portability and value? You found it. The perfect spill kit for everyday economic applications.

Each Safety Pail Kit Contains:

- 1 (1-gt) Zip Bag ENSORB®
- 1 Pair Nitrile Gloves
- · 1 Pair Safety Goggles
- · 1 Disposal Bag w/ Tie
- · 1 Emergency Response Guide
- 1 Instruction Sheet

Absorbs up to 5-gal (19 liters)

| Part No. | Description | List Price |
|-------------|---|------------|
| 8.752-229.0 | Econo Safety Pail Spill Kit - OIL ONLY | \$86 |
| 8.752-228.0 | Econo Safety Pail Spill Kit - UNIVERSAL | \$86 |



Ensorb Spill Station





Ensorb Super Absorbent

CHEMKLENZ NEUTRALIZING SPILL KITS

Nasty spill? You can never be too safe when dealing with unknown chemicals and liquids. Be armed with Chemklenz® Neutralizing Kits! Fully ready to tackle your meanest of spills, Chemklenz® Nano technology makes it the market's leading Absorbent and Neutralizer for acids, bases, caustics, solvents and more.

Each X1 Kit Contains:

- 1 (500-gram) ChemKlenz® Granule Bag
- · 1 Disposal Bag w/ Tie
- · 1 Pair Safety Goggles
- 1 Pair Nitrile Gloves
- 1 Dustpan w/ Brush
- · 1 Clear Zipper Bag

Absorbs up to 1-liter

- 5 Pads
- 2 Medium Socks
- · 1 Red Demand Seal

Absorbs up to 5-gal (10 liters)

Each X10 Kit Contains:

- 2 (750-gram) ChemKlenz® Granule Shaker
- 4 Disposal Bags w/ Ties
- 1 Pair Safety Googles
- 1 Pair Nitrile Gloves
- 1 Dustpan w/ Brush
- 1 Speed Duffel Bag
- 20 Pads
- 3 Medium Socks
- 2 Large Socks
- · 1 Red Demand Seal

Absorbs up to 10-gal (37.9 liters)

| Part No. | Description | List Price |
|-------------|-------------------------|------------|
| 8.752-253.0 | Chemklenz X1 Spill Kit | \$226 |
| 8.752-254.0 | Chemklenz X5 Spill Kit | \$452 |
| 8.752-255.0 | Chemklenz X10 Spill Kit | \$643 |

FORKLIFT / VEHICLE SPILL KITS

The spill kits contents are contained in an extremely durable water resistant safety yellow bag. Easily hangs from any piece of heavy equipment such as a forklift.

Each Forklift / Vehicle Kit Contains:

- 12 Pads
- 2 Socks
- · 1 Pair Nitrile Gloves
- 1 Disposal Bag w/ Tie
- 1 Instruction Sheet

Absorbs up to 5-gal (19 liters)


| Part No. | Description | List Price |
|-------------|--|------------|
| 8.752-226.0 | Forklift/Vehicle Spill Kit - OIL ONLY | \$136 |
| 8.752-227.0 | Forklift/Vehicle Spill Kit - UNIVERSAL | \$136 |





Chemklenz X10

Chemklenz X1



FAST PACKS & SPEEDY DUFFELS

Compact and portable vehicle response kits for small transportation spills in yellow waterresistant, heavy-duty nylon bags. Convenient nylon handles and straps provide easy transport and response. Great for fueling locations!



Speedy Duffel

Each Fast Pack Kit Contains:

- 1 (1-gt) Zip Bag ENSORB®
- · 1 Heavy-Duty Duffel
- 10 Pads
- 2 Medium Socks
- 1 Pair Nitrile Gloves
- 1 Disposal Bag w/ Tie
- 1 Emergency Response Guide
- 1 Instruction Sheet and MSDS(s)

Absorbs up to 5-gal (19 liters)

*Also available in Woodland Camouflage and Desert Tan Camouflage - CALL FOR DETAILS.

Each Speedy Duffel Kit Contains:

- 1 (1-qt) Zip Bag ENSORB®
- 1 Heavy-Duty Duffel
- 20 Pads
- 2 Large Socks
- 3 Medium Socks
- 1 Pair Nitrile Gloves
- 1 Pair Safety Goggles
- 1 Disposal Bag w/ Tie
- 1 Emergency Response Guide
- 1 Instruction Sheet and MSDS(s)

Absorbs up to 10-gal (38 liters)

| Part No. | Description | List Price |
|-------------|--------------------------------------|------------|
| 8.752-262.0 | Fast Pack Spill Kit - OIL ONLY | \$ 93 |
| 8.752-256.0 | Fast Pack Spill Kit - UNIVERSAL | \$ 93 |
| 8.752-259.0 | Fast Pack Spill Kit - AGGRESSIVE | \$117 |
| 8.752-273.0 | Speedy Duffel Spill Kit - OIL ONLY | \$157 |
| 8.752-265.0 | Speedy Duffel Spill Kit - UNIVERSAL | \$157 |
| 8.752-269.0 | Speedy Duffel Spill Kit - AGGRESSIVE | \$198 |

LONG HAUL TRUCK SPILL KIT

The Deluxe & Econo Long Haul Truck Spill Kits can be used as truckmounted carriers under semi-trucks/trailers or as a spill response unit in almost any location.



Each Long Haul Truck Kit Contains:

- 1 (1-qt) Zip Bag ENSORB®
- 1 (20-gal) Prowler Pop-Up Pool • 10 Pads
- 4 Medium Socks
- 1 Pair Safety Goggles
- 1 Pair Nitrile Gloves
- · 1 Disposal Bag w/ Tie
- 1 Emergency Response Guide

Absorbs up to 25-gal (94.6 liters)

SEE PG. 26 **FOR** SPILL KIT REFILLS



- 1 Poly-Edge™ Mountable (lockable) Storage Container
- 1 (1-gal) Jug ENSORB®
- 1 (100-gal) Prowler Pop-Up Pool
- 1 Leak Repair Kit
- 25 Pads
- 4 Medium Socks
- 1 Pair Safety Goggles
- 1 Pair Nitrile Gloves
- 2 Disposal Bags w/ Ties
- 1 Emergency Response Guide
- · 1 Instruction Sheet

Absorbs up to 110-gal (416.4 liters)

| Part No. | Description | List Price |
|-------------|--|------------|
| 8.752-231.0 | Econo Long Haul Truck Spill Kit - OIL ONLY | \$167 |
| 8.752-230.0 | Econo Long Haul Truck Spill Kit - UNIVERSAL | \$167 |
| 8.752-232.0 | Deluxe Long Haul Truck Spill Kit - OIL ONLY | \$512 |
| 8.752-234.0 | Deluxe Long Haul Truck Spill Kit - UNIVERSAL | \$512 |

ECONO™ SPILL PAK

Perfect for stashing behind the seat of a truck or placing in a stuff box. This kit can be refilled, but it's so economical, we feel it's disposable!

Each Kit Contains:

- 1 Spill Pak Bag
- 3 Medium Socks • 1 Disposal Bag w/ Tie
- 12 Pads
- 1 Pair Nitrile Gloves
- 1 Instruction Sheet
- 1 MSDS

| Part No. | Description | List Price |
|-------------|------------------------------|------------|
| 8.752-220.0 | Econo Spill Pak - OIL ONLY | \$48 |
| 8.752-222.0 | Econo Spill Pak - UNIVERSAL | \$48 |
| 8.752-221.0 | Econo Spill Pak - AGGRESSIVE | \$52 |

HAND CARRIED SPILL KIT

Need Spill Response on the go? This H quick and efficient for your unplanned sp



- 1 Spill Pak Bag
- 15 Pads
- 2 Medium Socks
- 2 Disposal Bags w/ Ties

| Hand Carried Kit is pills! | SPILL |
|-------------------------------|-------|
| r Nitrile Gloves | Max. |

- 1 Pair • 1 Instruction Sheet
- 1 MSDS
- **List Price** Description Part No. 8.752-225.0 Hand Carried Spill Kit - OIL ONLY \$52 8.752-223.0 Hand Carried Spill Kit - UNIVERSAL \$52 8.752-224.0 Hand Carried Spill Kit - AGGRESSIVE \$57

FUEL LEAK REPAIR KIT

The Leak Repair Kit can be used to plug leaking gasoline, diesel or biofuel tanks to minimize the amount of fuel lost and the clean up required.



Each Leak Repair Kit Contains:

- · 1 Plug Pattie
- 1 Aluminum Butvl Tape
- 1 Super Absorbent Pad
- · 1 Rubber Barrier Sheet
- · 2 Zip Ties
- 1 Pair Nitrile Gloves

| Part No. | Description | List Price |
|-------------|-----------------|------------|
| 8.752-216.0 | Leak Repair Kit | \$48 |

SPILL KIT ACCESSORIES



REPLACEMENT & REFILL KITS

Purchase a Refill Kit to keep your container ready for immediate spill response. Call for details.



| 8.752-280.0 20-Gallon - UNIVERSAL \$ 155 8.752-282.0 20-Gallon - AGGRESSIVE \$ 190 8.752-284.0 20-Gallon - OIL ONLY \$ 155 8.752-286.0 30-Gallon - UNIVERSAL \$ 202 8.752-288.0 30-Gallon - AGGRESSIVE \$ 238 8.752-290.0 30-Gallon - OIL ONLY \$ 202 8.752-312.0 50-Gallon Wheeled - UNIVERSAL \$ 395 8.752-314.0 50-Gallon Wheeled - AGGRESSIVE \$ 526 8.752-316.0 50-Gallon Wheeled - OIL ONLY \$ 395 8.752-318.0 65-Gallon - UNIVERSAL \$ 417 8.752-320.0 65-Gallon - OIL ONLY \$ 417 8.752-342.0 95-Gallon Wheeled - UNIVERSAL \$ 464 8.752-342.0 95-Gallon Wheeled - UNIVERSAL \$ 464 8.752-346.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-338.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-338.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon - AGGRESSIVE \$ 679 8.752-330.0 95-Gallon - OIL ONLY \$ 488 8.752-330.0 95-Gallon - AGGRESSIVE \$ 679 </th <th>Part No.</th> <th>Description</th> <th>List</th> <th>Price</th> | Part No. | Description | List | Price |
|---|-------------|-------------------------------------|------|-------|
| 8.752-284.0 20-Gallon - OIL ONLY \$ 155 8.752-286.0 30-Gallon - UNIVERSAL \$ 202 8.752-288.0 30-Gallon - AGGRESSIVE \$ 238 8.752-290.0 30-Gallon - OIL ONLY \$ 202 8.752-312.0 50-Gallon Wheeled - UNIVERSAL \$ 395 8.752-314.0 50-Gallon Wheeled - OIL ONLY \$ 395 8.752-316.0 50-Gallon - UNIVERSAL \$ 417 8.752-318.0 65-Gallon - UNIVERSAL \$ 417 8.752-320.0 65-Gallon - AGGRESSIVE \$ 540 8.752-322.0 65-Gallon - OIL ONLY \$ 417 8.752-342.0 95-Gallon Wheeled - UNIVERSAL \$ 464 8.752-344.0 95-Gallon Wheeled - AGGRESSIVE \$ 679 8.752-346.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-336.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-330.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon - OIL ONLY \$ 488 8.752-334.0 95-Gallon - OIL ONLY \$ 488 8.752-330.0 95-Gallon - AGGRESSIVE \$ 655 8.752-330.0 D5-Gallon - OIL ONLY \$ 464 <td>8.752-280.0</td> <td>20-Gallon - UNIVERSAL</td> <td>\$</td> <td>155</td> | 8.752-280.0 | 20-Gallon - UNIVERSAL | \$ | 155 |
| 8.752-286.0 30-Gallon - UNIVERSAL \$ 202 8.752-288.0 30-Gallon - AGGRESSIVE \$ 238 8.752-290.0 30-Gallon - OIL ONLY \$ 202 8.752-312.0 50-Gallon Wheeled - UNIVERSAL \$ 395 8.752-314.0 50-Gallon Wheeled - AGGRESSIVE \$ 526 8.752-316.0 50-Gallon Wheeled - OIL ONLY \$ 395 8.752-318.0 65-Gallon - UNIVERSAL \$ 417 8.752-320.0 65-Gallon - AGGRESSIVE \$ 540 8.752-322.0 65-Gallon - OIL ONLY \$ 417 8.752-342.0 95-Gallon Wheeled - UNIVERSAL \$ 464 8.752-342.0 95-Gallon Wheeled - UNIVERSAL \$ 464 8.752-346.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-336.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon - AGGRESSIVE \$ 679 8.752-330.0 95-Gallon - OIL ONLY \$ 464 8.752-330.0 95-Gallon - OIL ONLY \$ 464 8.752-330.0 Large Tote - AGGRESSIVE \$ 679 8.752-306.0 Large Tote - OIL ONLY \$ 679 </td <td>8.752-282.0</td> <td>20-Gallon - AGGRESSIVE</td> <td>\$</td> <td>190</td> | 8.752-282.0 | 20-Gallon - AGGRESSIVE | \$ | 190 |
| 8.752-288.0 30-Gallon - AGGRESSIVE \$ 238 8.752-290.0 30-Gallon - OIL ONLY \$ 202 8.752-312.0 50-Gallon Wheeled - UNIVERSAL \$ 395 8.752-314.0 50-Gallon Wheeled - AGGRESSIVE \$ 526 8.752-316.0 50-Gallon Wheeled - OIL ONLY \$ 395 8.752-318.0 65-Gallon - UNIVERSAL \$ 417 8.752-320.0 65-Gallon - AGGRESSIVE \$ 540 8.752-322.0 65-Gallon - OIL ONLY \$ 417 8.752-322.0 65-Gallon Wheeled - UNIVERSAL \$ 464 8.752-342.0 95-Gallon Wheeled - UNIVERSAL \$ 464 8.752-344.0 95-Gallon Wheeled - OIL ONLY \$ 464 8.752-346.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-338.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon - AGGRESSIVE \$ 679 8.752-330.0 95-Gallon - OIL ONLY \$ 464 8.752-330.0 D5-Gallon - OIL ONLY \$ 464 8.752-330.0 Large Tote - AGGRESSIVE \$ 679 8.752-308.0 Large Tote - OIL ONLY | 8.752-284.0 | 20-Gallon - OIL ONLY | \$ | 155 |
| 8.752-290.0 30-Gallon - OIL ONLY \$ 202 8.752-312.0 50-Gallon Wheeled - UNIVERSAL \$ 395 8.752-314.0 50-Gallon Wheeled - AGGRESSIVE \$ 526 8.752-316.0 50-Gallon Wheeled - OIL ONLY \$ 395 8.752-318.0 65-Gallon - UNIVERSAL \$ 417 8.752-320.0 65-Gallon - AGGRESSIVE \$ 540 8.752-322.0 65-Gallon - OIL ONLY \$ 417 8.752-342.0 95-Gallon Wheeled - UNIVERSAL \$ 464 8.752-342.0 95-Gallon Wheeled - AGGRESSIVE \$ 679 8.752-346.0 95-Gallon Wheeled - OIL ONLY \$ 464 8.752-336.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-338.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon - UNIVERSAL \$ 464 8.752-330.0 95-Gallon - OIL ONLY \$ 488 8.752-332.0 95-Gallon - OIL ONLY \$ 464 8.752-330.0 D5-Gallon - OIL ONLY \$ 464 8.752-330.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - AGGRESSIVE \$ 810 8.752-320.0 X-Large Tote - OIL ONLY \$ 679 <td>8.752-286.0</td> <td>30-Gallon - UNIVERSAL</td> <td>\$</td> <td>202</td> | 8.752-286.0 | 30-Gallon - UNIVERSAL | \$ | 202 |
| 8.752-312.0 50-Gallon Wheeled - UNIVERSAL \$ 395 8.752-314.0 50-Gallon Wheeled - AGGRESSIVE \$ 526 8.752-316.0 50-Gallon Wheeled - OIL ONLY \$ 395 8.752-318.0 65-Gallon - UNIVERSAL \$ 417 8.752-320.0 65-Gallon - AGGRESSIVE \$ 540 8.752-322.0 65-Gallon - OIL ONLY \$ 417 8.752-342.0 95-Gallon Wheeled - UNIVERSAL \$ 464 8.752-342.0 95-Gallon Wheeled - AGGRESSIVE \$ 679 8.752-346.0 95-Gallon Wheeled - OIL ONLY \$ 464 8.752-336.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-338.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-332.0 95-Gallon - OIL ONLY \$ 464 8.752-332.0 95-Gallon - OIL ONLY \$ 464 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - AGGRESSIVE \$ 810 8.752-324.0 X-Large Tote - OIL ONLY \$ 679 8.752-328.0 X-Large Tote - OIL ONLY | 8.752-288.0 | 30-Gallon - AGGRESSIVE | \$ | 238 |
| 8.752-314.0 50-Gallon Wheeled - AGGRESSIVE \$ 526 8.752-316.0 50-Gallon Wheeled - OIL ONLY \$ 395 8.752-318.0 65-Gallon - UNIVERSAL \$ 417 8.752-320.0 65-Gallon - AGGRESSIVE \$ 540 8.752-322.0 65-Gallon - OIL ONLY \$ 417 8.752-342.0 95-Gallon Wheeled - UNIVERSAL \$ 464 8.752-344.0 95-Gallon Wheeled - AGGRESSIVE \$ 679 8.752-346.0 95-Gallon Wheeled - OIL ONLY \$ 464 8.752-336.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-338.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon - UNIVERSAL \$ 464 8.752-332.0 95-Gallon - OIL ONLY \$ 464 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - OIL ONLY \$ 679 8.752-324.0 X-Large Tote - OIL ONLY \$ 679 8.752-325.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-328.0 X-Large Tote - OIL ONLY \$ | 8.752-290.0 | 30-Gallon - OIL ONLY | \$ | 202 |
| 8.752-316.0 50-Gallon Wheeled - OIL ONLY \$ 395 8.752-318.0 65-Gallon - UNIVERSAL \$ 417 8.752-320.0 65-Gallon - AGGRESSIVE \$ 540 8.752-322.0 65-Gallon - OIL ONLY \$ 417 8.752-342.0 95-Gallon Wheeled - UNIVERSAL \$ 464 8.752-344.0 95-Gallon Wheeled - AGGRESSIVE \$ 679 8.752-346.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-336.0 95-Gallon Envirosalv - AGGRESSIVE \$ 679 8.752-338.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon - UNIVERSAL \$ 464 8.752-330.0 95-Gallon - AGGRESSIVE \$ 655 8.752-332.0 95-Gallon - OIL ONLY \$ 464 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - OIL ONLY \$ 679 8.752-324.0 X-Large Tote - OIL ONLY \$ 679 8.752-326.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-325.0 Long Haul Deluxe - UNIVERSAL \$ 1,083 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-312.0 | 50-Gallon Wheeled - UNIVERSAL | \$ | 395 |
| 8.752-318.0 65-Gallon - UNIVERSAL \$ 417 8.752-320.0 65-Gallon - AGGRESSIVE \$ 540 8.752-322.0 65-Gallon - OIL ONLY \$ 417 8.752-342.0 95-Gallon Wheeled - UNIVERSAL \$ 464 8.752-344.0 95-Gallon Wheeled - AGGRESSIVE \$ 679 8.752-346.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-336.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-338.0 95-Gallon Envirosalv - AGGRESSIVE \$ 679 8.752-330.0 95-Gallon - UNIVERSAL \$ 464 8.752-330.0 95-Gallon - UNIVERSAL \$ 464 8.752-332.0 95-Gallon - OIL ONLY \$ 464 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - OIL ONLY \$ 679 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-325.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 <td>8.752-314.0</td> <td>50-Gallon Wheeled - AGGRESSIVE</td> <td>\$</td> <td>526</td> | 8.752-314.0 | 50-Gallon Wheeled - AGGRESSIVE | \$ | 526 |
| 8.752-320.0 65-Gallon - AGGRESSIVE \$ 540 8.752-322.0 65-Gallon - OIL ONLY \$ 417 8.752-342.0 95-Gallon Wheeled - UNIVERSAL \$ 464 8.752-344.0 95-Gallon Wheeled - AGGRESSIVE \$ 679 8.752-346.0 95-Gallon Wheeled - OIL ONLY \$ 464 8.752-336.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-338.0 95-Gallon Envirosalv - AGGRESSIVE \$ 679 8.752-330.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon - UNIVERSAL \$ 464 8.752-332.0 95-Gallon - AGGRESSIVE \$ 655 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - AGGRESSIVE \$ 810 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-326.0 X-Large Tote - AGGRESSIVE \$ 1,321 8.752-328.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-316.0 | 50-Gallon Wheeled - OIL ONLY | \$ | 395 |
| 8.752-322.0 65-Gallon - OIL ONLY \$ 417 8.752-342.0 95-Gallon Wheeled - UNIVERSAL \$ 464 8.752-344.0 95-Gallon Wheeled - AGGRESSIVE \$ 679 8.752-346.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-336.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-338.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-340.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon - UNIVERSAL \$ 464 8.752-332.0 95-Gallon - AGGRESSIVE \$ 655 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - AGGRESSIVE \$ 810 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-326.0 X-Large Tote - AGGRESSIVE \$ 1,321 8.752-325.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-318.0 | 65-Gallon - UNIVERSAL | \$ | 417 |
| 8.752-342.0 95-Gallon Wheeled - UNIVERSAL \$ 464 8.752-344.0 95-Gallon Wheeled - AGGRESSIVE \$ 679 8.752-346.0 95-Gallon Wheeled - OIL ONLY \$ 464 8.752-336.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-338.0 95-Gallon Envirosalv - AGGRESSIVE \$ 679 8.752-340.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon - UNIVERSAL \$ 464 8.752-332.0 95-Gallon - AGGRESSIVE \$ 655 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - AGGRESSIVE \$ 810 8.752-310.0 Large Tote - OIL ONLY \$ 679 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-326.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-325.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-320.0 | 65-Gallon - AGGRESSIVE | \$ | 540 |
| 8.752-344.0 95-Gallon Wheeled - AGGRESSIVE \$ 679 8.752-346.0 95-Gallon Wheeled - OIL ONLY \$ 464 8.752-336.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-338.0 95-Gallon Envirosalv - AGGRESSIVE \$ 679 8.752-340.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon - UNIVERSAL \$ 464 8.752-332.0 95-Gallon - AGGRESSIVE \$ 655 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - AGGRESSIVE \$ 810 8.752-310.0 Large Tote - OIL ONLY \$ 679 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-326.0 X-Large Tote - AGGRESSIVE \$ 1,321 8.752-328.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-322.0 | 65-Gallon - OIL ONLY | \$ | 417 |
| 8.752-346.0 95-Gallon Wheeled - OIL ONLY \$ 464 8.752-336.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-338.0 95-Gallon Envirosalv - AGGRESSIVE \$ 679 8.752-340.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon - UNIVERSAL \$ 464 8.752-332.0 95-Gallon - AGGRESSIVE \$ 655 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - AGGRESSIVE \$ 810 8.752-310.0 Large Tote - OIL ONLY \$ 679 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-326.0 X-Large Tote - AGGRESSIVE \$ 1,321 8.752-328.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-342.0 | 95-Gallon Wheeled - UNIVERSAL | \$ | 464 |
| 8.752-336.0 95-Gallon Envirosalv - UNIVERSAL \$ 488 8.752-338.0 95-Gallon Envirosalv - AGGRESSIVE \$ 679 8.752-340.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon - UNIVERSAL \$ 464 8.752-332.0 95-Gallon - AGGRESSIVE \$ 655 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - AGGRESSIVE \$ 810 8.752-310.0 Large Tote - OIL ONLY \$ 679 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-326.0 X-Large Tote - AGGRESSIVE \$ 1,321 8.752-328.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-344.0 | 95-Gallon Wheeled - AGGRESSIVE | \$ | 679 |
| 8.752-338.0 95-Gallon Envirosalv - AGGRESSIVE \$ 679 8.752-340.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon - UNIVERSAL \$ 464 8.752-332.0 95-Gallon - AGGRESSIVE \$ 655 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - AGGRESSIVE \$ 810 8.752-310.0 Large Tote - OIL ONLY \$ 679 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-326.0 X-Large Tote - AGGRESSIVE \$ 1,321 8.752-328.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-346.0 | 95-Gallon Wheeled - OIL ONLY | \$ | 464 |
| 8.752-340.0 95-Gallon Envirosalv - OIL ONLY \$ 488 8.752-330.0 95-Gallon - UNIVERSAL \$ 464 8.752-332.0 95-Gallon - AGGRESSIVE \$ 655 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - AGGRESSIVE \$ 810 8.752-310.0 Large Tote - OIL ONLY \$ 679 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-326.0 X-Large Tote - AGGRESSIVE \$ 1,321 8.752-328.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-336.0 | 95-Gallon Envirosalv - UNIVERSAL | \$ | 488 |
| 8.752-330.0 95-Gallon - UNIVERSAL \$ 464 8.752-332.0 95-Gallon - AGGRESSIVE \$ 655 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - AGGRESSIVE \$ 810 8.752-310.0 Large Tote - OIL ONLY \$ 679 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-326.0 X-Large Tote - AGGRESSIVE \$ 1,321 8.752-328.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-338.0 | 95-Gallon Envirosalv - AGGRESSIVE | \$ | 679 |
| 8.752-332.0 95-Gallon - AGGRESSIVE \$ 655 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - AGGRESSIVE \$ 810 8.752-310.0 Large Tote - OIL ONLY \$ 679 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-326.0 X-Large Tote - AGGRESSIVE \$ 1,321 8.752-328.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-340.0 | 95-Gallon Envirosalv - OIL ONLY | \$ | 488 |
| 8.752-334.0 95-Gallon - OIL ONLY \$ 464 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - AGGRESSIVE \$ 810 8.752-310.0 Large Tote - OIL ONLY \$ 679 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-326.0 X-Large Tote - AGGRESSIVE \$ 1,321 8.752-328.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-330.0 | 95-Gallon - UNIVERSAL | \$ | 464 |
| 8.752-306.0 Large Tote - UNIVERSAL \$ 679 8.752-308.0 Large Tote - AGGRESSIVE \$ 810 8.752-310.0 Large Tote - OIL ONLY \$ 679 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-326.0 X-Large Tote - AGGRESSIVE \$ 1,321 8.752-328.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-332.0 | 95-Gallon - AGGRESSIVE | \$ | 655 |
| 8.752-308.0 Large Tote - AGGRESSIVE \$ 810 8.752-310.0 Large Tote - OIL ONLY \$ 679 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-326.0 X-Large Tote - AGGRESSIVE \$ 1,321 8.752-328.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-334.0 | 95-Gallon - OIL ONLY | \$ | 464 |
| 8.752-310.0 Large Tote - OIL ONLY \$ 679 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-326.0 X-Large Tote - AGGRESSIVE \$ 1,321 8.752-328.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-306.0 | Large Tote - UNIVERSAL | \$ | 679 |
| 8.752-324.0 X-Large Tote - UNIVERSAL \$ 1,083 8.752-326.0 X-Large Tote - AGGRESSIVE \$ 1,321 8.752-328.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-308.0 | Large Tote - AGGRESSIVE | \$ | 810 |
| 8.752-326.0 X-Large Tote - AGGRESSIVE \$ 1,321 8.752-328.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-310.0 | Large Tote - OIL ONLY | \$ | 679 |
| 8.752-328.0 X-Large Tote - OIL ONLY \$ 1,083 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-324.0 | X-Large Tote - UNIVERSAL | \$ | 1,083 |
| 8.752-235.0 Long Haul Deluxe - UNIVERSAL \$ 381 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-326.0 | X-Large Tote - AGGRESSIVE | \$ | 1,321 |
| 8.752-233.0 Long Haul Deluxe - OIL ONLY \$ 381 | 8.752-328.0 | X-Large Tote - OIL ONLY | \$ | 1,083 |
| | 8.752-235.0 | Long Haul Deluxe - UNIVERSAL | \$ | 381 |
| 8.752-237.0 Wall Mount Locker Large - UNIVERSAL \$ 179 | 8.752-233.0 | Long Haul Deluxe - OIL ONLY | \$ | 381 |
| | 8.752-237.0 | Wall Mount Locker Large - UNIVERSAL | \$ | 179 |

REPLACEMENT & REFILL KITS (CONT.)

| 8.752-239.0 | Wall Mount Locker Large - AGGRESSIVE | \$ 214 |
|-------------|--|-----------|
| 8.752-241.0 | Wall Mount Locker Large - OIL ONLY | \$ 179 |
| 8.752-243.0 | Wall Mount Locker X-Large - UNIVERSAL | \$ 238 |
| 8.752-245.0 | Wall Mount Locker X-Large - AGGRESSIVE | \$ 286 |
| 8.752-247.0 | Wall Mount Locker X-Large - OIL ONLY | \$ 238 |

POLY-TOPS

Poly-top prevents the accumulation of water, snow, dirt and debris on overpack lids while protecting overpacks against weathering and long-term UV degradation.



| Part No. | Description | List Price |
|-------------|-------------------------|------------|
| 8.752-208.0 | 20 & 30-Gal Poly-Top | \$83 |
| 8.752-210.0 | 50-Gal Wheeled Poly-Top | \$88 |
| 8.752-209.0 | 65 & 95-Gal Poly-Top | \$88 |
| 8.752-211.0 | 95-Gal Wheeled Poly-Top | \$93 |

P.P.E. SPILL PAK

Includes all the Personal Protection Equipment you will need to arm yourself for the fight against the toughest of spills.



| Part No. | Description | List Price |
|-------------|------------------|------------|
| 8.752-215.0 | P.P.E. Spill Pak | \$155 |

No need to buy the same Spill Kit over and over again!



SPILL KIT ACCESSORIES







Caution Sign Drum Dolly

Tamper Seal

| Part No. | Description | List Price |
|-------------|-----------------------------------|------------|
| 8.752-212.0 | Spill Caution Sign | \$ 36 |
| 8.752-662.0 | Salvage Drum Dolly | \$179 |
| 8.752-214.0 | Tamper Seal (10/bag) | \$ 14 |
| 8.752-213.0 | Hazmat Disposable Bags (250/case) | \$476 |

CHEMKLENZ® IMMEDIATE SPILL RESPONSE Neutralizes Both Liquid & Vapor Hazards

ChemKlenz® is a universal chemical absorbent that neutralizes both acids and bases, including hydrofluoric acid and a wide variety of hazardous chemicals.



| Part No. | Description | List Price |
|-------------|----------------------------|------------|
| 8.752-765.0 | Wallmount & Shaker | \$ 262 |
| 8.752-763.0 | Wallmount Station | \$ 60 |
| 8.752-764.0 | Shaker (750 gram granules) | \$ 210 |
| 8.752-766.0 | Chemklenz Bags - 500 gram | \$ 157 |
| 8.752-767.0 | Chemklenz Bags - 5kg | \$1,050 |
| 8.752-768.0 | Pail 5 kg pail (granules) | \$1,138 |
| 8.752-771.0 | Pressurized cylinders 4 kg | \$1,702 |
| 8.752-770.0 | Pressurized cylinders 2 kg | \$1,114 |
| 8.752-769.0 | Pressurized cylinders 1 kg | \$ 724 |
| 8.752-774.0 | Wall mounts 4-kg | \$ 12 |
| 8.752-775.0 | Wall mounts 2-kg | \$ 12 |
| 8.752-777.0 | Wall mounts 1-kg | \$ 12 |
| 8.752-772.0 | Vehicle mounts 4-kg | \$ 121 |
| 8.752-776.0 | Vehicle mounts 2-kg | \$ 98 |
| 8.752-778.0 | Vehicle mounts 1-kg | \$ 74 |
| 8.752-773.0 | Applicator wand | \$ 552 |

ENSORB® SUPER ABSORBENT

ENSORB® Super Absorbent has virtually unlimited uses. It immediately absorbs liquids of any viscosity, leaving surfaces clean and dry.



| Part No. | Description | List Price |
|-------------|---------------------------------|------------|
| 8.752-739.0 | 1.5 Cubic Ft. Bag | \$ 21 |
| 8.752-740.0 | 1-Gal Jug Dispenser | \$ 14 |
| 8.752-741.0 | 1-Gal Jug Dispenser - Case of 6 | \$ 83 |
| 8.752-742.0 | 1-Qt Zip Seal Bags | \$ 48 |

ENSORB® SOK

Quickly neutralize odors at the source with ENSORB® SOK, the revolutionary odor eliminating absorbent! Effective and environmentally safe, this rapid-action Spill and Odor Killer is safe to use around kids, pets and virtually anywhere!





Ensorb Sok Kit

Ensorb Shaker

| Part No. | Description | List Price |
|-------------|--------------------------------|------------|
| 8.752-745.0 | ENSORB® Sok Kit | \$ 29 |
| 8.752-746.0 | ENSORB® Sok Kit (Case of 6) | \$167 |
| 8.752-747.0 | ENSORB® Sok Shaker (Case of 6) | \$100 |
| 8.752-748.0 | ENSORB® Sok Pail 5-Gallon | \$238 |
| 8.752-749.0 | ENSORB® Sok 15-Gallon Drum | \$595 |



Sprinkle down ENSORB®
to immediately absorb
liquids of any viscosity.
Sweep up to leave surfaces
clean and dry!



SORBENT QUICK REFERENCE GUIDE

OIL ONLY - White and widely used for oils and hydrocarbons (available in meltblown and bonded.) Oil — Only Sorbents provide superior water resistance and can absorb up to 25 times their weight. Ideal for absorbing oil off of water during maintenance and repair when needing to avoid soaking up water and water-based fluids.

UNIVERSAL - These highly versatile sorbents are grey and used in most all industries. Bonded for added strength and durability, Universal sorbents are a great choice for absorbing a wide range of fluids. These will absorb both water and oil-bsed liquids.

AGGRESSIVE - Also known as Hazmat sorbents, can range in a variety of colors with yellow being the most standard for visible hazardous material recognition. Aggressive sorbents are best used for the clean-up of unknown, toxic, flammable, corrosive and chemical substance spills.

PILLOWS

Thirsty loose-filled pillows pick up your spills quickly and efficiently.



| Part No. | Description | List Price |
|-------------|---|------------|
| 8.752-729.0 | ENSORB® pilows, Oil-Only, 8x17", 20/case | \$160 |
| 8.752-730.0 | ENSORB® pilows, Oil Only, 17x17", 10/case | \$152 |
| 8.752-733.0 | ENSORB® pilows, Universal, 8x17", 20/case | \$160 |
| 8.752-734.0 | ENSORB® pilows, Universal, 17x17", 10/case | \$110 |
| 8.752-727.0 | Sorbent pilows, Oil-Only, 10x10", 40/case | \$160 |
| 8.752-728.0 | Sorbent pilows, Oil Only, 18x18", 16/case | \$152 |
| 8.752-731.0 | Sorbent pilows, Universal, 10x10", 40/case | \$160 |
| 8.752-732.0 | Sorbent pilows, Universal, 18x18", 16/case | \$110 |
| 8.752-735.0 | Sorbent pilows, Aggressive, 10x10", 40/case | \$169 |
| 8.752-736.0 | Sorbent pilows, Aggressive, 18x18", 16/case | \$126 |

PADS

Meltblown polypropylene sorbent pads and rolls are the most cost-effective absorption technology available. Fast-wicking fibers allow them to absorb up to 25 times their weight!



| Part No. | Description | List Price |
|-------------|---|------------|
| 8.752-690.0 | ENSORB® pads, Oil-Only, Heavy, Bonded | \$60 |
| 8.752-691.0 | ENSORB® pads, Oil Only, Medium, Bonded | \$55 |
| 8.752-692.0 | ENSORB® pads, Oil-Only, Single, Bonded | \$62 |
| 8.752-695.0 | ENSORB® pads, Oil Only, Heavy, Laminated | \$76 |
| 8.752-696.0 | ENSORB® pads, Oil-Only, Medium, Laminated | \$76 |
| 8.752-704.0 | ENSORB® pads, Universal, Heavy, Bonded | \$60 |
| 8.752-705.0 | ENSORB® pads, Universal, Medium, Bonded | \$50 |
| 8.752-706.0 | ENSORB® pads, Universal, Single, Bonded | \$62 |
| 8.752-684.0 | Sorbent pads, Oil-Only, Heavy | \$67 |
| 8.752-685.0 | Sorbent pads, Oil Only, Medium | \$52 |
| 8.752-686.0 | Sorbent pads, Oil-Only, Single | \$71 |
| 8.752-687.0 | Sorbent pads, Oil-Only, Heavy, Bonded | \$71 |
| 8.752-688.0 | Sorbent pads, Oil Only, Medium, Bonded | \$60 |
| 8.752-689.0 | Sorbent pads, Oil-Only, Single, Bonded | \$83 |
| 8.752-693.0 | Sorbent pads, Oil-Only, Heavy, Laminated | \$98 |
| 8.752-694.0 | Sorbent pads, Oil Only, Medium, Laminated | \$64 |
| 8.752-701.0 | Sorbent pads, Universal, Heavy, Bonded | \$71 |
| 8.752-702.0 | Sorbent pads, Universal, Medium, Bonded | \$67 |
| 8.752-703.0 | Sorbent pads, Universal, Single, Bonded | \$83 |
| 8.752-711.0 | Sorbent pads, Aggressive, Heavy, Bonded | \$83 |
| 8.752-712.0 | Sorbent pads, Aggressive, Medium, Bonded | \$67 |

ROLLS

| Part No. | Description | List Price |
|-------------|---|------------|
| 8.752-699.0 | ENSORB® Rolls - OIL ONLY Bonded | \$100 |
| 8.752-700.0 | ENSORB® Rolls - OIL ONLY (split) Bonded | \$ 98 |
| 8.752-709.0 | ENSORB® Rolls - UNIVERSAL Bonded | \$ 98 |
| 8.752-710.0 | ENSORB® Rolls - UNIVERSAL (split) Bonded | \$107 |
| 8.752-697.0 | Sorbent Rolls - OIL ONLY Bonded | \$155 |
| 8.752-698.0 | Sorbent Rolls - OIL ONLY (split) Bonded | \$155 |
| 8.752-707.0 | Sorbent Rolls - UNIVERSAL Bonded | \$162 |
| 8.752-708.0 | Sorbent Rolls - UNIVERSAL (split) Bonded | \$143 |
| 8.752-713.0 | Sorbent Rolls - AGGRESSIVE Bonded | \$143 |
| 8.752-714.0 | Sorbent Rolls - AGGRESSIVE (split) Bonded | \$143 |

SOCKS

An excellent choice for surrounding spills and for use around machinery and equipment.



| Part No. | Description | List Price |
|-------------|---|------------|
| 8.752-719.0 | ENSORB® SOCKs, Oil Only, 3"x4', 40/case | \$117 |
| 8.752-720.0 | ENSORB® SOCKs, Oil Only, 4"x10', 5/case | \$ 48 |
| 8.752-723.0 | ENSORB® SOCKs, Universal, 3"x4', 40/case | \$ 93 |
| 8.752-724.0 | ENSORB® SOCKs, Universal, 3"x8', 10/case | \$ 71 |
| 8.752-717.0 | Sorbent Socks, Oil-Only, 3"x4', 40/case | \$131 |
| 8.752-718.0 | Sorbent Socks, Oil Only, 3"x8', 20/case | \$131 |
| 8.752-721.0 | Sorbent Socks, Universal, 3"x4', 40/case | \$131 |
| 8.752-722.0 | Sorbent Socks, Universal, 3"x8', 20/case | \$131 |
| 8.752-725.0 | Sorbent Socks, Aggressive, 3"x4', 40/case | \$190 |
| 8.752-726.0 | Sorbent Socks, Aggressive, 3"x8', 20/case | \$190 |

BOOMS

Great for picking up all spilled oils and hydrocarbons on water. Fast-wicking white fibers are stuffed into 5" and 8" diameter Oil Only booms 10' long.



| Part No. | Description | List Price |
|-------------|----------------|------------|
| 8.752-716.0 | 5"x10', 4/case | \$119 |
| 8.752-715.0 | 8"x10', 4/case | \$157 |

DRUMTOPPER PADS

Fibers will absorb up to 25 times their weight!



| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-737.0 | Oil Only | \$100 |
| 8.752-738.0 | Universal | \$100 |

IMBIBER BEADS IMBICATOR

Capture and contain a broad range of liquid organics while eliminating free liquids. Beads change color to indicate the saturation level or presence of a spill.



| Part No. | Description | List Price |
|-------------|--------------------------|------------|
| 8.752-756.0 | 7"x7" Packets | \$274 |
| 8.752-757.0 | 7"x72" Mini Boom | \$226 |
| 8.752-758.0 | 12"x21" Pillows | \$250 |
| 8.752-759.0 | 21"x35" Blanket | \$250 |
| 8.752-760.0 | Imbiber Beads / Sand Mix | \$286 |

DRIP SENTINEL MAINTENANCE PRODUCTS

The sorbent blanket is made of 8 oz.,100 mils thick, non-woven geo-textile that is backed by a layer of 20-mil fuel/chemical resistant polyethylene. Provides a protective sorbent pad between the maintenance item and placement area. Hose wraps absorb hose leaks from 2-10" while the bibb allows for quick disconnect of dripping hoses and pipes.








Hose Bibbs Wraps

| Part No. | Description | List Price |
|-------------|----------------------------|------------|
| 8.752-395.0 | Blankets, Small, 12'x3' | \$117 |
| 8.752-396.0 | Blankets, Medium, 12'x6' | \$167 |
| 8.752-397.0 | Blankets, Large, 12'x9' | \$345 |
| 8.752-398.0 | Blankets, X-Large, 12'x12' | \$417 |
| 8.752-389.0 | Bibbs, Single | \$ 24 |
| 8.752-390.0 | Bibbs, Case of 5 | \$114 |
| 8.752-391.0 | Wraps, Small, 1.5"-3" | \$ 24 |
| 8.752-392.0 | Wraps, Medium, 12'x6' | \$ 45 |
| 8.752-393.0 | Wraps, Large, 6"-8" | \$ 52 |
| 8.752-394.0 | Wraps, X-Large, 10" | \$ 62 |

STORMWATER



STORM SENTINEL™ CATCH BASIN INSERT

The Storm Sentinel Drain Protection Inserts help companies comply with Stormwater Pollution Prevention Plans and Stormwater Best Management Practices by protecting your storm drains and catch basins. It's the sure way to catch oil and sediment headed into storm drains and sewers with the industry's only self-supporting frame.



27" - 29" ROUND

| Part No. | Description | List Price |
|-------------|--|------------|
| 8.752-291.0 | Trash & Debris | \$64 |
| 8.752-292.0 | Trash, Debris, & Sediment | \$67 |
| 8.752-298.0 | Trash, Debris, & Sediment, Oil, & Hydrocarbons | \$95 |

16" x 20" to 28" x 36" RECTANGULAR

| Part No. | Description | List Price |
|-------------|--|------------|
| 8.752-293.0 | Trash & Debris | \$64 |
| 8.752-295.0 | Trash, Debris, & Sediment | \$67 |
| 8.752-299.0 | Trash, Debris, & Sediment, Oil, & Hydrocarbons | \$95 |

25" x 25" to 42" x 42" RECTANGULAR (X-LARGE)

| Part No. | Description | List Price |
|-------------|--|------------|
| 8.752-294.0 | Trash & Debris | \$ 76 |
| 8.752-296.0 | Trash, Debris, & Sediment | \$ 79 |
| 8.752-300.0 | Trash, Debris, & Sediment, Oil, & Hydrocarbons | \$107 |

DRAIN DAM

Redirect water into catch basin while absorbing some hydrocarbons.



| Part No. | Description | List Price |
|-------------|-------------|------------|
| 8.752-301.0 | Drain Dam | \$40 |



Competitive units require multiple people to get the job done.
With Storm Sentinel™, installation and removal is always a 1-person job!

STORM SENTINEL™ CURB INLET


Insert won't fall into the basin, even when fully loaded. Adjustable to fit curb inlet openings from 24" to 30" wide.



- Industrial facilities
- Construction sites
- Parking lots
- Drive-up retail facilities



| Part No. | Description | List Price |
|-------------|--|------------|
| 8.752-302.0 | Trash & Debris | \$ 69 |
| 8.752-303.0 | Trash, Debris, & Sediment | \$ 71 |
| 8.752-304.0 | Trash, Debris, & Sediment, Oil, & Hydrocarbons | \$100 |
| | | |



UNIVERSAL POLY-DRUM™ FUNNEL & COVER

Fits both closed-head and open-head 55-gallon drums, 30-gallon drums, and other containers. Features include patented scalloped design, high side wall and bung fitting holders, and an optional cover for added protection.



| Part No. | Description | List Price |
|-------------|-----------------------------|------------|
| 8.752-370.0 | Universal Poly-Funnel | \$52 |
| 8.752-372.0 | Universal Poly-Funnel Cover | \$60 |

UNIVERSAL POLY-DRUM™ SAFETY FUNNEL

All the features of the Universal Poly-Drum™ Funnel plus a non-sparking safety bung closure with flame arrestor.





Optional cover available.

| Part No. | Description | List Price |
|-------------|------------------------------|------------|
| 8.752-371.0 | Universal Poly-Safety Funnel | \$440 |

BOSS DEWATERING FILTER BAGS

BOSS Filter Bags' innovative design and high quality filter material removes sediment from discharge pump water. The filter bag is formed from non-woven, polypropylene geo-textile material made for removing oil, grease, sediment, litter and debris from pump water.



| Part No. | Description | List Price |
|-------------|---------------------------------|------------|
| 8.752-980.0 | Dewatering Filter Bags, 3'x3' | \$ 33 |
| 8.752-981.0 | Dewatering Filter Bags, 6'x6' | \$ 79 |
| 8.752-982.0 | Dewatering Filter Bags, 12'x12' | \$155 |

POLY-PAIL™ FUNNEL

Mounts to 3.5-, 5-, and 6-gallon tighthead pails. Also fits open-top pails with 12" diameter.





Poly-Pail Funnel Cover

| Part No. | Description | List Price |
|-------------|------------------------|------------|
| 8.752-373.0 | Poly-Pail Funnel | \$62 |
| 8.752-374.0 | Poly-Pail Funnel Cover | \$62 |

POLY-DRUM™ TOPPER

Snaps directly onto any 55-gallon open or closed-head drum to keep out debris and protect drums.



| Part No. | Description | List Price |
|-------------|------------------|------------|
| 8.752-375.0 | Poly-Drum Topper | \$69 |

1, 2 & 4-DRUM STEELPALS

Leak-free, heavy gauge steel with 100% inspected sump welds, allow for complete compliance and use!

FEATURES & BENEFITS:

- Certified leak-free with 100% inspected sump welds
- Extra heavy gauge steel for extended life
- · Four way forklift access
- · Galvanized steel grating
- · Durable chemical-resistant finish



2-Drum Steelpal





Description

1-Drum Steelpal

2-Drum Steelpal

4-Drum Steelpal

4-Drum Inline Steelpal

Part No.

8.752-670.0

8.752-671.0

8.752-672.0

8.752-673.0



| List Price |
|------------|
| \$1,024 |
| \$1,236 |
| \$1,498 |

\$1,712

2 & 4 DRUM HAZMAT LOCKERS

HazMat Lockers are complete with lockable, hinged lid & doors for storing hazardous materials securely anywhere!



| Part No. | Description | List Price |
|-------------|----------------------|------------|
| 8.752-676.0 | 2-Drum Hazmat Locker | \$4,055 |
| 8.752-677.0 | 4-Drum Hazmat Locker | \$5,224 |

2 & 4 DRUM STEEL STACKERS

Safely and securely move your chemicals with our stacker transport pallets with added side rails for efficient moving and stacking.



2-Drum Stacker



4-Drum Stacker

| Part No. | Description | List Price |
|-------------|----------------------|------------|
| 8.752-674.0 | 2-Drum Steel Stacker | \$1,650 |
| 8.752-675.0 | 4-Drum Steel Stacker | \$1,871 |

STEEL IBC TOTES

Safely store hazardous chemicals in Intermediate Bulk Containers over a compliant spill sump. One and two tote designs offer you the flexibility to choose the right sump for your application.



Double IBC Steel Tote

| Part No. | Description | List Price |
|-------------|-----------------------|------------|
| 8.752-682.0 | IBC Steel Tote | \$3,450 |
| 8.752-683.0 | Double IBC Steel Tote | \$4,048 |

PALLET RACK SUMP INSERTS

Designed to fit your pallet racks, this economical Sump Insert installs quickly and can help you comply with containment regulations while keeping you safe and spill-free!



| Part No. | Description | List Price |
|-------------|---------------------|------------|
| 8.752-678.0 | FOR RACKS: 96"x36" | \$1,724 |
| 8.752-679.0 | FOR RACKS: 108"x36" | \$1,936 |
| 8.752-680.0 | FOR RACKS: 96"x42" | \$2,007 |
| 8.752-681.0 | FOR RACKS: 108"x42" | \$2,252 |

SINGLE & DUAL CYLINDER DOLLY™

Cylinder Dollies™ are designed to be a more functional, maneuverable, and better balanced transporter for gas cylinders than conventional dollies or forklifts.

Unlike metal cylinder carts, the Cylinder Dollies™ are spark-resistant and the rugged polyethylene construction will not rust or corrode under harsh weather conditions.



Dual Cylinder Dolly

| Part No. | Description | List Price |
|-------------|-------------------------------|------------|
| 8.752-657.0 | Single Cylinder Dolly™ HD | \$286 |
| 8.752-658.0 | Single Cylinder Dolly™ HD ATD | \$393 |
| 8.752-659.0 | Dual Cylinder Dolly™ HD | \$595 |
| 8.752-653.0 | Cylinder Strap | \$ 24 |

2-CYLINDER POLY-STAND™

Ideal for inexpensive wall-mounted storage. Accommodates two cylinders with diameters of 3" to 12-3/8".



4-CYLINDER POLY-STAND™

The 4-Pack Cylinder Stand™ is forkliftable and floor mountable. Holds four cylinders up to 12-3/8" in diameter.



| Part No. | Description | List Price |
|-------------|-----------------------|------------|
| 8.752-654.0 | 2-CYLINDER Poly-STAND | \$202 |
| 8.752-655.0 | 4-CYLINDER Poly-STAND | \$426 |

6-PACK CYLINDER RACK™

Efficiently sized to easily move through standard doorways. Forkliftable! Able to handle cylinders 3" to 10" diameter.



| Part No. | Description | List Price |
|-------------|-----------------------|------------|
| 8.752-650.0 | 6-Pack Cylinder Rack™ | \$529 |
| 8.752-651.0 | 6-Pack Ramp | \$157 |

CASTER FRAME

Gives the 6-Pack Cylinder Rack™ mobility to go anywhere!



| Part No. | Description | List Price |
|-------------|---------------------|------------|
| 8.752-652.0 | 6-Pack Caster Frame | \$226 |

UNIVERSAL CYLINDER BRACKET™

Ideal for low-cost wall or truck mounted storage. Design your own configuration to hold one, two, three, or x amount of cylinders with extendable modular flexibility.

Accommodates cylinders from 3" to 10" in diameter.




| Part No. | Description | List Price |
|-------------|----------------------------|------------|
| | | |
| 8.752-656.0 | Universal Cylinder Bracket | \$24 |



COLLECTION PITS: BELOW-GROUND PRE-TREATMENT OF WASTEWATER

Reinforced, pre-fabricated fiberglass pits are an economical inground, oil-water separator as well as provide ideal pre-treatment of wash-water.

The 3-stage collection pit is designed with baffles and for



Water Maze's proprietary oil-coalescing plates to be inserted into the center chamber for enhanced separation.

This fiberglass separator is significantly easier and less expensive to ship and install than shipping or constructing on site collection pits made of concrete. The reinforced fiberglass sidewalls prevent bowing and underground movement.

The fiberglass collection pit works best when combined with a catch basin and sump pit, which are both made of the same chemical-resistant, reinforced fiberglass.

The wash water flows into the catch basin, where solids drop to the bottom. The runoff then flows into the collection pit. As it passes through the baffles, oil and other debris are separated from the water. In some instances, this is all that is needed to meet discharge limits for the sewer. If needed, a sump pit may be used to transfer wastewater into a Water Maze water treatment system.

| | ACCESSORIES | | |
|-------------|--|------|-------|
| Part # | Description | List | Price |
| 8.903-657.0 | Collection Pit, Fiberglass, In-Ground Oil-Water Separator, 36" x 108" x 54" (Inside Dimensions); 60 GPM | \$3 | ,995 |
| 8.903-674.0 | Cover for Collection Pit (#8.903-657.0), Hinged Aluminum Diamond Tread Plate w/ Steel Tube Frame, 3' x 9' | \$1 | ,595 |
| 8.903-673.0 | Coalescing Grid Packs, 58 Plates, 1,700 sq. ft. Surface Area | \$1 | ,895 |
| 8.903-658.0 | Catch Basin, Fiberglass, In-Ground, 3' x 3' x 4.5' (Inside Dimensions) | \$1 | ,150 |
| 8.903-678.0 | Cover for Catch Basin (#8.903-658.0), Aluminum Diamond Tread Plate, 3' x 3' | \$ | 630 |
| 8.903-677.0 | Grating for Catch Basin (#8.903-658.0), Hot Rolled Steel, 1/2" x 2" Flatbar, 1.5' x 3' (includes 2 grates) - *See note | \$1 | ,295 |
| 8.709-334.0 | Sump Pit, Fiberglass, In-Ground, 2' x 2' x 3' (Inside Dimensions) | \$ | 750 |
| 8.903-675.0 | Cover for Sump Pit (#8.709-334.0), Aluminum Diamond Tread Plate w/ Steel Tube Frame, 2' x 2' | \$ | 395 |
| 8.903-676.0 | Grating for Sump Pit (#8.709-334.0), Hot Rolled Steel, 1/2" x 2" Flatbar, 2' x 2' - *See note | \$ | 625 |

Gratings meet H-20 truck load rating.

| PARTS | | |
|-------------|--|------------|
| Part # | Description | List Price |
| 8.712-023.0 | Wood Brace Kit (bracing to reinforce fiberglass while pouring concrete, Required for installation of Collection Pit Part# 8.903-657.0) | \$260 |


PIT CLEANER: FOR SLUDGE REMOVAL

Cleaning sludge from the bottom of a collection pit is neither easy nor fun.

But the Pit Cleaner makes it bearable.

An extended wand is attached to a pressure washer, with a minimum of 1000 PSI. The pressure is channeled so that it creates a vacuum, capable of suctioning mud and sludge from the bottom of a pit or even

The sludge is deposited into a porous collection bag, mounted on a hand truck, where the water drains out and the sludge is allowed to dry for eventual disposal.



| | ACCESSORIES | |
|-------------|--|------------|
| Part # | Description | List Price |
| 8.903-600.0 | Pit Cleaner (includes wand and hose only) | \$ 660.00 |
| 8.709-206.0 | Sludge Cart Only (includes 5 bags) | \$ 395.00 |
| 8.903-601.0 | Shallow Pit Cleaner (up to 2 feet deep), Qty 1 | \$ 865.00 |

| | PARTS | |
|-------------|---|------------|
| Part # | Description | List Price |
| 8.719-191.0 | Sludge Bag (biodegradable, cotton fiber), Qty 1 | \$ 5.15 |

LITTLE GIANT PUMPS



· Heavy-duty cast iron

8.715-367.0

| Part # | Description | List Price |
|-------------|------------------------|------------|
| 8.715-367.0 | Sump, 1/2 hp 120V | \$1,070.17 |
| 8.715-368.0 | Sump, 1/2 hp 230V/ 1PH | \$1,092.83 |
| 8.715-369.0 | Sump, 1/3 hp 220V | \$ 481.01 |

Ebara Pumps



| Part # | Description | List Price |
|-------------|------------------------|------------|
| 8.715-438.0 | Sump, 1/2 hp 230V/ 3PH | \$1,502.91 |
| 8.715-439.0 | Sump, 1/2 hp 460V/ 3PH | \$1,502.91 |



PM-1000: AUTOMATIC SYSTEM FOR BIOREMEDIATION PIT MANAGEMENT

If you face a smelly mess every Monday morning from a forgotten wash-water collection pit, Water Maze has a solution for you in the Pit Management System.

The PM-1000D provides a fully automated, environmentally friendly and low-cost way to



Timers are located in a water-resistant control panel and automatically provide aeration and microbial injection.

manage standing wash water found in collection pits, tanks or sump drains.

It is designed to be integrated into most wash-water treatment systems utilizing aeration and automatic injection of a highly effective microbial agent (BioStax 1800) for eliminat-

ing oils, greases and other hydrocarbons and organics typically found in collection pits or sump drains.

automated, cost way to

coated in a anticontrol tomatically tion and ection.

Use BioStax 1800 Microbes #8.718-919.0 Below

Dimensions: 21"L x 30"W x 46"H


Ship Weight: 185 lbs.

ETL certified

BioStax 1800 has proven to be very effective in controlling odor and converting oils, greases, and hydrocarbons into harmless carbon dioxide and water.

The aeration further enhances the effectiveness of the microbes and provides odor control.

| | EQUIPMEN | T | |
|-------------|---|----------------|------------|
| Part # | Description | Volts/ Ph/Amps | List Price |
| 1.103-467.0 | PM-1000D Pit Management System (Includes Air Compressor with Air Stones | | \$3,560 |



PM-1000 FEATURES AND BENEFITS:

- · Easy in-field installation
- Fits most brands of water treatment systems
- Effectively reduces odor
- · Biology consumes oils, grease, hydrocarbons, etc.
- Steel cabinet protected by epoxy powder coat finish

BIO-MEDIA: ALL-NATURAL SOLUTIONS FOR COLLECTION PITS & GREASE TRAPS



Water Maze provides a broad selection of bio-media used in biotreatment systems, collection pits and even kitchen grease traps.

These all-natural products are made up of a special blend of non-pathogenic, non-toxic bacteria

designed for use in applications where pressure washers are typically found.

The products include:

- BioPuck HC: An award-winning, microbial blend designed for naturally removing oil, grease and other hydrocarbons from a was-water collection pit; apply 1-2 tablets per month; available in package of four pucks; 4-pack package comes with containment nets and BioNutrient.
- **BioPuck GT:** Bacterial blend formulated for naturally eliminating fats, cooking oils and greases found in a kitchen or food processing facility.

| | PARTS AND CONSUMABLES | |
|-------------|---|-------|
| Part # | Description List | Price |
| 8.718-913.0 | BioPuck HC, 4-pack with BioNutrient and four pit socks | \$175 |
| 8.749-853.0 | BioPuck HC, box of 20 pucks | \$630 |
| 8.718-914.0 | BioPuck GT, 4-pack with four pit socks | \$ 95 |
| 8.718-918.0 | BioStax 1800, liquid, 2 containers A&B (concentrate makes 55 gallons) | \$740 |
| 8.718-917.0 | BioStax 100 Hawaiian Blend, liquid, 8 oz. vial | \$ 95 |
| 8.718-919.0 | BioStax 1800, Two 8 oz vials (A & B) makes 5 gallons | \$107 |
| 8.718-916.0 | BioNutrient, powder, 8 oz vial | \$ 45 |

^{*} Non-stock item



■ BioStax 1800: A two-part proprietary liquid blend of a non-toxic, non-pathogenic bacterial concentrate that is designed for slow release of microbes into the Pit Management System. Comes in a kit made up of two 8-ounce bottles (designated "A" and "B") for mixing with water to make 5 gallons. Helps to control odor and the breakdown of hydrocarbons, greases and oils. Replaces BioStax 900. Certified by the ATCC as gram positive, class 1,

pathogen-free organisms.

- BioStax 100 Hawaiian Blend: Designed for use in systems installed in Hawaii.
- **BioNutrient:** The Water Maze BioNutrient is a powder concentrate that mixes with water and enhances the effectiveness of the bioremediation process.



PH PERMISSIVE SYSTEM: AUTOMATICALLY ADJUSTS WATER PH



A pH Permissive System automatically monitors and adjusts the pH in a waste stream enhancing the effectiveness of wastewater treatment systems, including an evaporator.

The unit continuously circulates the wastewater monitoring and injecting pH adjusting agents using two chemical pumps. It also has an alarm for alerting the operator if the pH level is not reached in a set time eliminating the maintenance headaches sometimes associated with manually operated recycling systems.

| | EQUIPMENT | |
|-------------|--|------------|
| Part # | Description | List Price |
| 1.103-458.0 | PH-3020D Digital pH Permissive System (120V, 9 amps) | \$7,275 |
| 8.903-682.0 | Optional Auto Fill (SS sump pump, fittings and floats) | \$1,595 |
| 8.903-681.0 | Optional Holding Tank, 300 gal. (valves and hose) | \$2,595 |

CLARIFIERS: SOLIDS / OIL & WATER / SEPARATION - DISCHARGE SYSTEMS

Water Maze CL and CLT clarifier systems are modular components that can be applied as pretreatment, post-treatment, or as a stand alone treatment system. All units utilize cross-linked polyethylene cone-bottom tanks with steep slopes (up to 55 degrees) for maximum solids separation. Each tank has a full open top with removable lid and includes heavy duty metal stand with cradle. Each model provides features and benefits to match your application requirements.

The CLT-300 model includes:

A 300-gallon tank with lid; 3" inlet and 1 1/2" outlet bulkhead fittings; and manual purge valve at the bottom

The CLT-600 model includes:

A 600-gallon tank with lid; manual purge valve at the bottom; 3" inlet and outlet bulkhead fittings; internal downward piping arrangement; and air diffuser stone mounted inside the tank.

The CL-30A model includes:

A 600-gallon tank with lid; 1 1/2" inlet and outlet bulkhead fittings; a top divider cone and 2 lower coalescing cones; oil skimmer cone with outlet piping; 26-gallon oil decanter reservoir; 165-gallon poly tank with a 1/2 HP sump pump mounted inside; manual purge valve at the bottom; and sludge tub / dewatering container.



CL-30A



| DIS | CHARGE | OR PR | ETRE | ATMEN | IT SYST | E M S |
|---------|----------------|-------------|-------------------|--------------------------|---------------------|---------------|
| Model | Part Number | Flow GPM | Recycle System | Ozone Generator | Volts/Phase Amps | List Price |
| CL-30A | 1.103-408.0 | 1-30 GPM | No | None | 230/1/4.6 | \$ 8,750 |
| CL-30A | No Part# | • | | on of model tank and pun | | \$ 4,950 |
| CLT-300 | 1.103-434.0 | 1-10 GPM | No | None | N/A | \$ 3,995 |
| CLT-600 | 1.103-435.0 | 1-30 GPM | No | None | N/A | \$ 4,995 |

| | OPTIONS AND UPGRADES | |
|-------------|---|------------|
| Part # | Description | List Price |
| 8.903-695.0 | Auto Purge - Automatically removes solids from CL-600 ONLY cone-bottom tank <i>(not applicable to CL-30 or CLT models;</i> compressed air required, 3 cfm at 60-100psi) | \$1,495 |
| 8.903-651.0 | ORP/pH Controller, Model 250, 2 Pumps, Factory Upgrade CL-600D only | \$4,015 |

Note: Yellow highlighted items are ordered through Specials Department.

| | A C C E S S O R I E S | |
|-----------------------|--|------------|
| Part # | Description | List Price |
| 1.103-406.0 | AMC-1000, Auto Purge Infield Retrofit Kit, 120V | \$1,895 |
| 8.716-989.0 | pH-only Controller with probes, stand alone | \$2,395 |
| 8.715-379.0 | VSP 20 metering pump, 120V | \$ 630 |
| No Part# (special) | Auto-Water Discharge; automatically switches between recycle and discharge modes for CL-6000, CL-30A | \$1,295 |

Note: Sump pumps are not supplied with the above products.



RETROFIT KITS FOR AUTOMATING SYSTEMS

The AMC-1000 is an in-field retrofit kit that automates the discharge function on Water Maze systems to dispense wastewater and sludge from a system for disposal.

The AMC (Automatic Maintenance Control) kit is designed to automate the purging of the build up of solids in a cone-bottom tank of a water treatment system, such as a CLT-300, CLT-600, CL-30 or any above ground tank. The AMC operates on stand-alone 120V electrical.

■ AMC-1000 (1.103-406.0): This air-operated kit comes mounted in a NEMA box. A microtimer causes the air-activated purge valve to open discharging the sludge from the tank. Air supply (3 CFM @ 80-100 PSI) must be supplied by the customer.

| | ACCESSORIES | |
|-------------|--|------------|
| Part # | Description | List Price |
| 1.103-406.0 | AMC-1000, Maintenance Control Retrofit Kit, 120V | \$1,895 |

STORAGE TANKS

Polyethylene storage tanks are ideal for expanding the capacity of a water filtration system or simply to serve as a "cushion" in handling high volumes of wash-water. All are UV- and corrosion-resistant.



8 719-173 0

| PARTS | | | | |
|-------------|---|------------|--|--|
| Part # | Description | List Price | | |
| STORAGE TAI | NKS | | | |
| 8.719-173.0 | Storage Tank, Polyethylene, 310 gal., Cone Bottom with Stand | \$1,825 | | |
| 8.719-172.0 | Intermediate Storage Tank, Polyethylene, 165 gal., Flat Bottom | \$ 735 | | |
| 8.725-510.0 | 150 Gal. Cone Bottom Tank (black in color) | \$ 550 | | |
| 8.751-972.0 | CB Tank Stand, 150 gallon, 36" (45 degree) | \$ 430 | | |
| TEST KITS | | | | |
| 8.712-138.0 | Ozone Flowmeter | \$139.00 | | |
| 8.720-009.0 | Chlorine Test Strips | \$ 33.99 | | |
| 8.720-010.0 | pH Test Strips | \$ 56.65 | | |

IPF2-20D: INDEXING POLISHING FILTER

The IPF solids dewatering unit utilizes inexpensive fabric paper to filter out solid particles. Fabric paper, which is supplied in 5, 20, and 50 micron sizes, is automatically indexed onto a recessed conveyor belt made of high tensile, non-metallic material. As water and solid particles drain through the fabric paper, solids are retained by the fabric paper. As the fabric paper blinds over, the water level will rise, a float will actuate a drive motor and gear system, the conveyer belt will index forward allowing the spent paper to fall into a collection container and new paper to index onto the conveyor belt. The IPF can be applied for pretreatment, post treatment, or as a stand alone treatment system.



The equipment specifications include:

- made of industrial grade components;
- carbon steel exterior with a stainless steel interior that protects the wetted surfaces from rusting;
- all carbon steel surfaces are protected with a two part Zinc Epoxy Powder Coat finish;
- the load bearing side (top side) of conveyor belt is fully supported to eliminate belt sagging;
- the drive motor is exterior mounted with a covered housing to protect it from moisture and it has an ETL / UL approved safety shut-off switch;
- the paper roll enclosure includes an electronic sensor to signal "low paper" conditions to an external device (supplied by others)
- includes (4) four adjustable legs to change the elevation of the unit
- includes a collection container for spent paper and sludge
- NOTE: Fabric paper is not included, must be purchased separately.



| EQUIPMENT | | | | | | |
|--------------|----------------|--|---------------------|---------------------|---------------|--|
| Model | Part Number | System Type (Technology) | Process Flow GPM | Volts/Phase Amps | List Price | |
| IPF2-20D | 1.103-488.0 | Fabric Paper Filter | up to 20 | 120/3 | \$ 5,500 | |
| IPF High Boy | No Part# | Fabric Paper Filter w/ 10" taller legs and 82-q fiberglass reinforced tu | | 120/1/14* | \$7,050 | |

^{*4} amps w/o infeed pump; 14 amps w/ infeed pump

| 0 P T I | ONS, UPGRADES & ACCESSO | RIES |
|-------------|--|------------|
| Part # | Description | List Price |
| IPF2-20D | | |
| 8.917-279.0 | Water retention container (approx. 40 gallon capacity) | \$ 550 |

| | PARTS & CONSUMABLES | |
|-------------|---|------------|
| Part # | Description | List Price |
| 8.752-171.0 | Fabric Paper, Filter – 50 micron x 1500 yards | \$ 663.00 |
| 8.752-173.0 | Fabric Paper, Filter – 20 micron x 650 yards | \$ 530.00 |
| 8.752-172.0 | Fabric Paper, Filter – 5 micron x 500 yards | \$ 600.00 |



OZONE GENERATORS: FOR ADDED WATER CLARITY

This self-contained ozone generator is ideal as a stand-alone system for ridding wastewater of odor and bacteria.

Ozone works up to 1000 times faster than chlorine, and other sanitizers, in killing bacteria without creating harmful byproducts. It also acts as a deodorizer.

Model 30-7501 includes an enclosed cabinet painted with a powder coat finish.

A unique mixing procedure ensures 99% contact by the bacteria-killing ozone with the wash water—a procedure far more effective than bubbling ozone into a tank.

Other features include: 3/4 hp circulation pump; 24-hour timer control; and 4 ultraviolet lamps which create 24 grams of ozone per day.

Ozone generators are also available for use in existing systems:

- Ultraviolet Systems: Economical, high-efficiency generators with one, or four lamps producing up to 24 grams of ozone per day.
- *Other models with higher ozone output are available through our specials dept. See page 20 for details.



| A C C E S S O R I E S | | | | | |
|-----------------------|-------------|-----------------|-----------|---------------|------------|
| Model | Part # | Description | Flow Rate | Volts/Ph/Amps | List Price |
| 30-7501 | 1.103-457.0 | Ozone Generator | 1-30 GPM | 120/1/8 | \$4,995 |

STANDARD SPECIALS (EXPECT EXTENDED DELIVERY TIMES)

SPECIAL OZONE SYSTEMS: DELIVERS UP TO 72 GRAMS PER DAY OF UV OZONE

This self-contained ozone generator system is ideal as a stand-alone system for ridding wastewater of odor and bacteria. Ozone works up to 1000 times faster than chlorine and other sanitizers in killing bacteria without creating harmful by-products. It also acts as a deodorizer.

The system utilizes (3) three Water Maze Series 400 UV ozone generators and one control cabinet. Two of the ozone generators will need to be field installed on a wall-mount bracket (bracket not included). The standalone control cabinet includes a circulation pump, 24-hour timer control, and inlet / outlet PVC connections. A larger piping manifold with mazzei injectors are supplied to ensure 99% contact by the bacteria-killing ozone with the wash water - a procedure far more effective than bubbling ozone into a tank.

The cabinet enclosure is painted with a powder coat finish. Each ozone generator cabinet is made of stainless steel.

*Other models with higher ozone output are available through our specials dept.



| | | EQUIPMENT | | |
|----------|-------------------------------------|-----------|--------------------------------|------------|
| Part # | Description | Flow Rate | Power Requirements | List Price |
| No Part# | 72 grams/day Ozone Generator System | 40-50 GPM | Two (2) 120V / 20 Amp Circuits | \$11,595 |



WATER BLASTER: FOR PRE-WASHING


When heavy equipment and vehicles are laden with loads of dirt and mud, water volume is more effective than high pressure for a thorough cleaning.

The Water Blaster delivers up to 25 GPM of water volume—nearly 6 times more than most pressure washers—along with 500 PSI of pressure to knock off heavy dirt with ease.

Water Blasters come standard with:

■ Two electrical configurations of an industrial-duty 10 HP motor with on-off motor control for convenience in washing away from the unit;

Water Blaster: High volume (25 GPM) combined with moderate pressure (500 PSI)



- Liquid level switches to ensure flow of water; and
- 100 ft. of 3/4-inch, abrasive-resistant hose with a variable fan wand.

| | | EQUI | PMEN | T | |
|-------------|-----|------|------|---------------|------------|
| Part # | GPM | PSI | HP | Volts/Ph/Amps | List Price |
| 1.103-484.0 | 25 | 500 | 10 | 230/3/30 | \$9,995 |
| 1.103-472.0 | 25 | 500 | 10 | 460/3/15 | \$9,995 |

| | PRETREATMENT SYSTEMS | |
|-------------|--|------------|
| Part # | Description | List Price |
| 1.103-435.0 | CLT-600, 600-Gallon Cone-Bottom Tank and Stand | \$4,995 |
| 1.103-434.0 | CLT-300, 300-Gallon Cone-Bottom Tank and Stand | \$3,995 |

| PARTS | | | | | |
|-------------|---|------------|--|--|--|
| Part # | Description | List Price | | | |
| 8.719-173.0 | Vertical Poly, 310-Gallon Tank with Stand | \$1,825 | | | |
| 8.711-863.0 | Manually Operated Hose Reel only | \$ 860 | | | |

EVAPORATOR BELT: ECONOMICAL ALTERNATIVE FOR LOW-VOLUME EVAPORATION



The Evaporator Belt is ideal for evaporating very low volumes of wastewater.

The electric-powered belt wraps around a standard 55-gallon steel drum and slowly heats non-flammable liquids to temperatures of 70° to 250°F.


The heavy-duty aluminized steel belt includes thermostatic control and weighs only 14 lbs.

| 8.707-034.0 Wrap-It-Heat Water Reduction Drum Heater | |
|---|---------|
| 6.707-034.0 Wrap-it-neat Water neutition Druin neater | \$1,295 |
| Evaporation Rate of 1.4 GPH (230V, 1ph, 12.5 amps) | |



For information on spill containment solutions and water treatment systems not shown in this catalog, call **800-347-6116** or email info@wmaze.com.

STEEL WASHPADS



ENVIRONMENTAL CONTAINMENT RACKS

The Water Maze above ground containment rack systems makes shipping and installing a wash rack easier than ever. With no permitting required, this bolt together system can be installed in a matter of hours.

The low profile modular design with a maximum deck height of 6 inches (15.24 cm) can be purchased in various sizes and configurations to meet your current site requirements. The modular design also allows for shipping under LTL freight rates, or inside of an ocean cargo container for export purposes.

FEATURES AND BENEFITS:

- Multiple Ramp options available: Drive-On / Back-Off or Drive-Through
- Available in 9' wide and 18' wide models
- Diamond plate deck surface
- · Deck height 6"

DRIVE-ON / BACK-OFF CONFIGURATION (18 FEET WIDE MODEL)



DRIVE-THROUGH CONFIGURATION (18 FEET WIDE MODEL)



SHOWN W/ OPTIONAL CANOPY



DRIVE-ON / BACK-OFF CONFIGURATION (9 FEET WIDE MODEL)



CONVEYOR OPTION (FOR 18 FEET WIDE OR GREATER CONTAINMENT RACKS)





Check out our Containment Rack Options on page 42!

2012 ECS Price List

| CONTAINMENT RA | CK SPECIFICATIONS - 9 FEET WIDE: |
|-------------------------------|--|
| DIMENSIONS: | Inside width= 9 feet (2.743 meters), Inside lengths: increments of 7 feet (2.133 meters) |
| CAPACITY: | 15,000 lbs. (6,818 kgs.) weight support distributed over a typical four-wheeled point contact in a 6' x 6' (1828 mm x 1828 mm) area. |
| MODULAR DECK & TROUGH DESIGN: | Lower deck consists of one section that is 9' (2.743 meters) wide x 7' (2.133 meters) long and incorporates a center trough that is approximately 24"(609 mm) wide x 4.5"(114 mm) deep and includes removable steel gratings that run full length. The outer deck height is 6" (152 mm) high and tapers towards the center trough. Multiple sections are bolted together (using alignment pins and seal strips) to match the overall deck length requirements. |
| OVERSPRAY WALLS: | 6' high tubular steel with galvanized sheet metal |
| LAYOUT (options): | Drive-on / back-off with ONE SET of low angle approach ramps and overspray walls on three sides. Drive-through with TWO SETS of low angle approach ramps and overspray walls on two sides |
| MATERIALS OF CONSTRUCTION: | Custom U-channel steel fabricated substructure with diamond tread plate surface; tubular steel overspray walls with galvanized sheet metal covering. |
| METAL FINISHING: | Steel components are deep cleaned with a phosphate cleaning solution and then painted with a 2-step epoxy paint process. Diamond tread deck surface has a grit impregnated coating |

| CONTAINMENT RA | CK SPECIFICATIONS - 18 FEET WIDE: |
|-------------------------------|--|
| DIMENSIONS: | Inside width: 18 feet (5.486 meters) Inside lengths: increments of 7 feet (2.133 meters) |
| CAPACITY: | 60,000 lbs27,273 kgs. weight support (15,000 lbs. – 6,818 kgs. for typical four-wheeled point vehicle) |
| MODULAR DECK & TROUGH DESIGN: | Lower deck consists of sections. Section A = 10' wide x 7' long (3.04 m x 2.133 m), and Section B = 8' wide x 7' long (2.438 m x 2.133 m). The 10' wide section incorporates a center trough that is approximately 24"(609 mm) wide x 4.5"(114 mm) deep and includes removable steel gratings that run full length. The outer deck height of each section is 6" (152 mm) high and tapers towards the center trough. Multiple sections of A and B are bolted together (using alignment pins and seal strips) to match the overall deck length requirements. |
| OVERSPRAY WALLS: | 6' high tubular steel with galvanized sheet metal 12' high tubular steel with outer support braces (OPTIONAL) |
| LAYOUT (options): | Drive-on / back-off with ONE SET of low angle approach ramps and overspray walls on three sides. Drive-through with TWO SETS of low angle approach ramps and overspray walls on two sides |
| MATERIALS OF CONSTRUCTION: | Custom U-channel steel fabricated substructure with diamond tread plate surface; tubular steel overspray walls with galvanized sheet metal covering. |
| METAL FINISHING: | Steel components are deep cleaned with a phosphate cleaning solution and then painted with a 2-step epoxy paint process. Diamond tread deck surface has a grit impregnated coating |

AVAILABLE OPTIONS:

- CUSTOM DECK WIDTHS available upon requests.
- INTEGRATED UNDERCARRIAGE RINSE SYSTEM: 60 GPM @ 100 PSI, consisting of:
 - A 10' long spray bar system with 10 spray nozzle pockets welded into the deck plate so all the nozzles are sub surface.
 - The above is embedded into one set of the above deck sections (an "A" and "B" section).
 - A pumping system: centrifugal booster pump with enclosed impellers.
- DUAL DIAPHRAGM PUMP RECOVERY SYSTEM:
 - Includes heavy duty suction pumps (x2) that are capable of pumping heavy solids at a flow rate to keep up with the above undercarriage rinse system; flow activation of pumping system using PLC electrical interface with the customer supplied pressure washer and/ or water blaster system; hoses and hose connections from one end of the drain trough to the pump rack.
- INTEGRATED CONVEYOR SYSTEM: Automatically removes solids from the center trough system. Available for 18 feet wide or greater containment racks.
- CANOPY COVERS: Available to fit all models.
- TREATMENT & DISCHARGE SYSTEMS
- RECYCLE SYSTEMS

**** Contact Factory for pricing and size configurations****
Ph: 800-347-6116 • Fax 800-535-9164 • Email: info@wmaze.com



OCEAN CARGO CONTAINERS - (MODIFIED) EQUIPMENT STRUCTURES

As an alternative to constructing an onsite building, Water Maze offers 20 foot, or 40 foot long ocean cargo containers (new or used) modified to meet your specific site requirements. Typically, local construction permits are not required when installing this type of structure.



AVAILABLE OPTIONS:

- Electrical panel (up to 200 amps)
- Electrical outlets: 120 volt, 230 volt, 460 volt
- Electric conduits and Unistrut anchor channels with clamps
- 36" man-door(s) metal lined, exterior grade
- · Louvered vents, fans
- · Heating & air conditioning systems
- Interior insulation with Kemlite lining (top and sides)
- · Cargo worthy certification
- · Custom modifications available upon request

FEATURES AND BENEFITS:

- New, or used in refurbished condition
- · Wooden floor
- · Electrical breaker panel (up to 200 amps)
- Interior ceiling lights, fluorescent (20 foot x 2) (40 foot x 4)
- Painted exterior
- · Recessed plumbing





**** Contact Factory for pricing, availability and configuration options****

Ph: 800-347-6116 • Fax 800-535-9164 • Email: info@wmaze.com





Detergents, Defoamers & Additives

For Wastewater Treatment Systems

QUICK RELEASE DETERGENTS - FOR WASH WATER APPLICATIONS

Enviro-Clean

Water Maze Enviro-Clean is an all-purpose detergent designed to be used through a pressure washer and still have the quick release properties for use with a wash water recycling system or oil-water separator. It is completely biodegradable and phosphate free.

5 gal. (PN 8.916-591.0) List Price: \$75.00 | 55 gal. (PN 8.916-594.0) List Price: \$685.00

Enviro-Clean+Plus

Water Maze Enviro-Clean+Plus combines both the cleaning power of other detergents with oil-release properties to enhance the effectiveness of a wash water recycling system or oil-water separator. In addition to being biodegradable, it has low-foaming and low-phosphate characteristics and contains no caustics or butyls.

5 gal. (PN 8.916-589.0) List Price: \$45.00 | 55 gal. (PN 8.916-592.0) List Price: \$350.00

Enviro-Degreaser

Water Maze Enviro-Degreaser is a potent degreaser that also has quick-release properties so it is ideal for use when water is being treated by a wash water recycle system or oil-water separator. Besides being biodegradable, Water Maze Enviro-Degreaser is phosphate free and does not react photochemically so it's enviro-safe.

5 gal. (PN 8.916-590.0) List Price: \$60.00 | 55 gal. (PN 8.916-593.0) List Price: \$500.00

DEFOAMERS

5600 Defoamer

Water Maze 5600 is a fast-acting defoamer concentrate that quickly suppresses froth and suds often found in waste streams bound for processing through a wastewater evaporation system. Water Maze 5600 can also be used in aqueous-based wastewater treatment systems.

1 gal. (PN 8.719-138.0) List Price: \$43.00 | 5 gal. (PN 8.719-139.0) List Price: \$195.00

55 gal. (PN 8.719-140.0) List Price: \$1,875.00

Defoamer A-32

Defoamer A-32 is a water dispersible defoamer/antifoam that is highly effective in controlling foam in wastewater evaporators processing metal working fluids. Defoamer A-32 is particularly effective in wastewater streams containing semi-synthetic and synthetic metal-working compounds. It can also be used in a wide variety of other aqueous based wastewater systems.

5 gal. (PN 8.749-779.0) List Price: \$385.00 | 55 gal. (PN 8.749-778.0) List Price: \$3,895.00

ADDITIVES

Liquid Alum pH Adjusting Agent (Acidic) - For use in all Water Treatment Systems

Water Maze Liquid Alum is a 20% liquid aluminum sulfate solution for use as a pH adjust chemical or a coagulant in water treatment. Best results are obtained when Water Maze Liquid Alum is injected directly into the wastewater stream on a continuous basis. 5 gal. (PN 8.749-550.0) List Price: \$86.00 | 55 gal. (PN 8.749-549.0) List Price: \$360.00

No Rust Corrosion Inhibitor - For use in Evaporators w/ Carbon Steel Tanks

Water Maze's No Rust concentrated corrosion inhibitor is designed to provide rust protection in Water Maze industrial wastewater evaporators. When added continuously this unique blend of chemicals will prevent corrosion to the wetted metal surfaces of a wastewater evaporator.

5 gal. (PN 8.749-782.0) List Price: \$475.00

OxiMaze+ Oxidizing Agent - For use in all Water Treatment Systems

A powerful new oxidizer from Water Maze to be used as a sanitizer for very effective odor control within wastewater treatment systems. OxiMaze+ is a much safer and more effective alternative to chlorine (sodium hypochlorite). OxiMaze+ is non-toxic, non-corrosive and has a much higher reactivity rate than chlorine.

5 gal. (PN 8.750-499.0) List Price: \$180.00 | 55 gal. (PN 8.750-500.0) List Price: \$1,850.00

CHEMICAL COMPATIBILITY KEY AND USER NOTE:

This report is offered as a guide and was developed from information, which, to the best of ENPAC's knowledge, was reliable and accurate. Due to variables and conditions of application beyond ENPAC's control, none of the data shown in this guide is to be construed as a guarantee, expressed or implied. ENPAC, LLC assumes no responsibility, obligation, or liability in conjunction with the use or misuse of the information.

The data shown is the result of laboratory tests obtained from leading chemical companies and independent reports that are intended to serve only as a guide. Testing is not conducted by ENPAC, LLC. No performace warranty is intended or implied. Confirmation of the validity and suitability in specific cases should be obtained. When considering flexible containment for specific applications, it is suggested that a fabric sample be tested in actual service before specification. Where impractical, tests should be devised which simulate actual service conditions as closely as possible.

Ratings are based on visual and physical examination of samples after removal from the test chemical. Results represent the material's ability to retain its performance properties when in contact with the indicated chemical.

The degree of chemical attack on any material is governed by the conditions under which it is exposed. Exposure time, temperature, and size of the area of exposure usually varies considerably in application, therefore, this table is given and accepted at the user's risk.

DETAILED KEY:

V = Products should be suitable for prolonged or repeated contact with these substances (under the specified conditions).

S = Products may be suitable for Intermittent contact; however, some deterioration in properties may occur. The user should perform qualification tests before or during usage of the container,

N = Substances aggressively attack the product or have vapor pressures incompatible with closed containers.

INDUSTRIAL FABRIC - CHEMICAL COMPATIBILITY GUIDE #1

CHEMICAL RESISTANCE FOR STINGER BERMS - BLACK

| CHEMICAL | RATING | Diesel Fuel Ethanol | Y | Ivory Soap | 3 | Potassium Sulfate Raw Linseed Oil | 3 |
|--------------------------------|--------|---------------------------------|-----|---------------------------------|-----|--------------------------------------|----|
| Appr | - | Ethyl Aostate | N. | Jet A JP-4 Jet Fuel | · · | SAE-30 OII | |
| AFFF | Y | Ethyl Alcohol | | JP-5 Jet Fuel | W | Salt Water (25%) | |
| Acetic Acid (5%) | 5 | | | | 7 | | 3 |
| Acetic Acid (50%) | N | Fertilizer Solution | y | JP-8 Jet Fuel | Υ. | Sea Water | Y |
| Ammonium Phosphate | 5 | #2 Fuel Oil | Α. | Kerosene | Υ. | Sodium Acetate Solutions | 5 |
| Ammonium Sulfate | 5 | #6 Fuel Oil | Y | Magnesium Chloride | 5 | Sodium Bisulfite Solution | 5 |
| Antifreeze (ethylene glycol) | V | Gasoline | 5 | Magnesium Hydroxide | 5 | Sodium Hydroxide (60%) | Y |
| Animal Oil | v | Glycerin | Y | Methanol | Ψ. | Sodium Phosphate | 5 |
| ASTM Fuel A (100% (so-octarie) | | Hydraulic Fluid-Petroleum Based | V. | Mineral Spirits | V | Sulfuric Acid (50%) | V. |
| | | Hydraulic Fluid- | 7 | Naphtha | W | 50% Tannic Acid | |
| ASTM Oil #2 (Flash pt. 240 C) | X | Phosphate Ester Based | 141 | Nitric Acid (5%) | - | Toluene | 74 |
| ASTM OIL #3 | Y | | N. | The section of desired the last | 3 | | |
| Calcium Chloride Solutions | 5 | Hydrocarbon Type II | 2. | Nitric Acid (50%) | IN | Transformer Oil | |
| Calcium Hydroxide | 5 | (40% Aromatic) | N- | Perchloroethylene | N | Turpentine | Y |
| 20% Chlorine Solution | Y | Hydrachloric Acid (50%) | Υ. | Phenol Formaldehyde | 5 | Urea Formaldehyde | Υ. |
| Clorox | ·V | Hydrofluoric Acid (5%) | V | Phosphoric Acid (50%) | 4 | UAN | |
| Conc. Ammonium Hydroxide | | Hydrafluoric Acid (50%) | Y | Phosphoric Acid (100%) | N | Vegetable Oil | V |
| Com Oil | | Hydrofluosilicic Acid | | Phthalate Plasticizer | N | Water (200F) | |
| Coade Oil | 2 | Isopropyl Alcohol | | Potassium Chloride | 5 | Zinc Chloride | 5 |

INDUSTRIAL FABRIC - CHEMICAL COMPATIBILITY GUIDE #2

CHEMICAL RESISTANCE FOR STINGER YELLOW JACKET," DRIPHLOW BERM; SPILLPAN & SPILLPAN - YELLOW

| CHEMICAL | BATING | Chloric Acid, 20% Chlorine, Liquid | Y S | Green Liquor Hydrochloric Acid, 50% | ¥ | Potassium Hydroxide Potassium Hydroxide | ¥ |
|---|---|--|----------------|--|---|---|----------|
| Ammonium Biflouride Ammonium Flouride, 25% Ammonium Flouride, 25% Ammonium Sulfate Amy Acetate Aqua Regia Beer Berzene Black Liquory Bleach 12.5% Boric Acid Bromic Acid Butane Butylene Calcium Chloride Carbon Tetrachloride Carson; Acid Castor Oil | *************************************** | Citic Acid Copper Nitrate Copper Sulfate Com Syrup Cottonseed Oil Detergents Diethyl Ether Directlyl Hydraxine Disodium Phosphate Ethers Ester's Ethyl Alcohol Ethylene Glycol Fatty Acids Formaldehyde Fructose Furfural Gasoline Gin | ************** | Hydroflouric Acid, dilute Hydrogen Peroxide, 90% Hydrogen Sulfide, aqueous Ketones Linseed Oil Magnesium Chloride Methyl Riconide Methyl Ethyl Ketone Methylethe Chloride Mineral Oil Naptha Napthalene Nitric Acid, 30% Nitric Acid, 30% Oleic Acid Prosphoric Acid, 85% Potash Potassium Chloride | Y Y Y S Y Y S S Y Y S Y S Y Y Y Y Y Y Y | Propyl Alcohol Sea Water Soaps Sodium Chloride Sodium Hydroxide, 70% Sodium Nitrate Stearic Acid Sulfur Sulfuric Acid, 80% Sulfuric Acid, 100% Tamning Liquors Toluene, Toluol Urea Vegetable Oil Whiskey Wines Zinc Chloride | ******** |

INDUSTRIAL FABRIC - CHEMICAL COMPATIBILITY GUIDE #3

CHEMICAL HESISTANGE FOR STINGER'S SPILLPAL W/BEMOVARLE FOAM - TAIL

| CHEMICAL | BATING | Ethanol #2 Fuel Oil | Y | Hydrofluoric Acid (50%) | ¥ | Nitric Acid (5%) Nitric Acid (50%) | 5 N |
|---|---------------------------------------|--|---|--|--------|---|---------|
| AFFF Acetic Acid (5%) Acetic Acid (50%) 20% Chlorine Solution Clorox Conc, Ammonium Hydroxide Diesel Fuel | * * * * * * * * * * * * * * * * * * * | #6 Fuel Oll Gasoline Hydraulic Fluid- Petroleum Based Hydraulic Fluid- Phosphate Hydrocarbon Type II (40% Aromatic) Hydrochloric Acid (50%) Hydroflooric Acid (5%) | Y 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | JP-4 Jet Fuel JP-5 Jet Fuel JP-6 Jet Fuel Kercsene Methanol Methyl Alcohol Mineral Spirits Naphtha | ****** | Perchloroethylene Phenol Formaldehyde Phesophoric Acid (50%) Phosophoric Acid (100%) Sodium Hydroxide (60%) Sulphuric Acid (50%) Tolkene Transformer Oil | 557X47X |

POLYETHYLENE - CHEMICAL COMPATIBILITY GUIDE #4

V = YES, RECOMMENDED S = SOMETIMES, SUITABLE INTERMITTENTLY

N = NO, NOT RECOMMENDED

CHEMICAL

BATTING

Acetaldehyde (40%) Acetamide Acetic Acid (50%) Acetic Acid (100%) Acetic Acid Anhydride Acetic Ether Acetone Acetylene Tetrabromide Acrylic Emulsions Adipic Acid Adjock Add Allphatic Hydrocarbons (Hexane Octane, hexene, Octene, Etc.) Ally Alcohol (96%) Alum (Aqueous Solutions) Aluminum Chloride (20%) Aluminum Pluoride
Aluminum Hydrogen Solution (10%) Y
Aluminum Hydrogen Solution (10%) Y
Aluminum Hydrogen Solution (10%) Y
Aluminum Hydrogen
Y
Ammonia (Anhydroun) Y
Ammonia (Achydroun) Y
Ammonia (10%) Dry Gan) Y
Ammonia (10%) Dry Gan) Y
Ammonia (10%) Dry Gan) Ammonium Acetats Ammonium Bifourida Ammonium Carbonate 50% Ammonium Chloride Ammonium Hydrogen Fluoride (50%) Frunde (SUPs) Ammonium Hydroxide Ammonium Metaphospinate Sat'd Ammonium Mitrate (1096) Ammonium Nitrate Sat'd Ammonium Persulfate Sat'd Ammonium Phosphate Ammonium Sulfate (146) Ammonium Sulfate Sand Ammonium Suffde Saf'd Ammonium Thiocyanate Saf'd Armyl Acetate Armyl Alcohol (100%) Armyl Chloride Arniline (100%) Aniline Hydrochloride Animal Fats Anti-Freeze Antimony Salts Antimony Trichloride 90% Aqua Regia Aqueous Salt Solutions (NaCl) Aqueous Aliglies (NaCH) Arsenic Acid Arsenic Salts Bailum Salts Bailum Carbonate Banum Chloride Bailum Cyanide Bailum Hydroxide Barium Nitrate Ramom Scillege Batturn Sulfice Battery Fluid Acid Beef Tallow Emulsion, Sulfonated Benzaldehyde

Benzene Genzene Sulfonic Acid

Benzyl Chloroformate Bismuth Salts

Bleach Lye (10%)

Black Liquor Boras Cold Sat'd

Boric Acid Dilute Boric Acid Conv.

Bromine, Liquid

Bromine, Water

Bromobenzene Bromoform

Butadiene Butane

Benzoic Acid Benzyl Alcohol

Butanediol (100%) Butanol Butyl Acesans Buryl Alcohol (100%) Butylene Butylene Gycol Butylene Liquid Butyl Phenol Butylic Acid Calcium Carbonate Calcium Cricinate Calcium Hydroxide Calcium Hydroxide Calcium Hypochlorite Calcium Nitrate (5011) Calcium Sulfate Camphor Oil Carbon Disulida Carbonic Acid (Ag.CO2) Carbon Monsoide Carbon Tetrachloride Castor Of Conc. Caustic (Aqueous) Caustic Potash Sol. (50%) Caustic Socia Sol. (1096) Chioral Hydrate Chlomethanol Chloric Acid (10%) Chloroacetic Acid Chlorobenzene Chloroform Chioromethane Chlorosulfonic Acid 100% Chrome Alum Sat'd Chromic Acid (50%) Older Otto: Acid (All Conc.) Clorax Bleach Coconut Oil Alcohols Cola Concentrates Comeressed Air Conditioning Oil Copper Salts
Copper Cyanide
Copper Mitrate
Copper Sulfain Com Oil Cottonwed Oil Cresol (90%) Cresylic Acid Crotonic Aldehyde Cuprous Chloride Satid Cyclohevane Cyclohevanol Detergents, General Developer, Photographic Destrin Sat'd extrose Satio Dibuty/Bhar Dibuty Sebarate Dichimoacetic Add Dichloroacetic Acid, Methyl Ester Dichlorobenzene Liquid Dichloroethylene Diesel Fun Diesel Cli Diethyl Carponate Disod um Phosphate Diazo Salts Diethylene Glycol Diethanolamine Dietycolic Acid (30%) Di-Isolacyl Ketomi Dimethylamine Dimethyl Formamide Dinonyl Phthelate Diphenyl Oxide Electrolyte Emulsions, Photographic Ethanol Ether Ethyl Acetate (100%) Ethyl Akohol Ethyl Butyrate Ethyl Chloride Ethyl Ether Ethylene Chloride Ethylene Chlorohydrin

Ethylene Diamine Ethylene Dichloride

Fatty Acids Fatty Alcohol Sulfornate

Ethylene Glycol Ethylene Oxide

Femic Salts Femic Sulfate

Ferrous Salts Ferrous Sulfate Fertilizer Salts Fish Solvinles Fluoboric Acid Fluosilicic Acid (All Conc.) Formaldehyde (40%) Formarnide Formic Acid (All Conc.) Fruit Pulp Fuel Oil Furtural (100%) Furfuryl Alcohol Gallic Acid Satid Gescline Gaschol Gelatine Gluconic Acid (All Conc.) Gluonse Oycerine Glycal Ethern Glyncolic Acid (All Conc.) Grape Sugar Sar'd Aq. Heptane Hexane Heranol Terr Hydrazine Hydrati Hydrosullite (10%) Hydrosylamine Sullite Hydrosine (35%) Hydrazine Hydrochlonide Hydrolodic Acid (All Conc.) Hydrobiomic Acid (50%) Hydrocyanic Acid Satid Hydrocyanic Acid (All Conc.) Hydrofluoric Acid (All Conc.) Hydrofluorislikic Acid (All Conc.) Hydrogen Bromide (10%) Hydrogen Peroxide (90%) Hydrogen Phosphide 1009: Hydrogen Sulfide Hydrogen Sulfide Hypochlorous Aod lottine (Alc Sol.) Conc. Iron Salts bo-Octane Isopropyi Acesite Isopropyi Alcohol Isopropyl Ether Jet fuel Lactic Add (All Conc.) Langin Load Sales Lead Acetate Satis Lime Linseed Oil Lithium Salts Lubrical Magnesium Salts Magnesium Carbonate Magnesium Hydroxide Magnesium Nitrate Magnesium Oxide Magnesium Sullite Maleic Acid Malic Acid (1%) Mercuric Salts Mercurous Salts Mercury Methanol Methyl Acetata Methyl Akohol (100%) Methyl Amine (32%) L Methyl Bramide Methyl Chloride Methylene Chioride Methyl Elhyl Ketone Methyl Isolautyl Kotone Methyl Isopropyl ketone Methyl Sulfate Methyl Sulfuric Acid (All Conc.) Milic Mineral Olis Makeses Monochlaroacutic Acid Ethyl Ester Monochloroacutic Acid Methyl Ester Morpholin Mowilith D Munistic Acid

Nitric Acid (<50%) Nicobermene Nitrottili, ene Octyl Cresol Ois and Fals Oleic Acid (All Conc.) Oleum Conc. Ofive Oil Orange Extract Oralic Acid (All Conc.) Palmitic Acid Palm Oil Paraffin Ervulsions Paralin (3) Perchloric Acid (50%) Potmieum. Petroleum Ether Piwers (90%) Phenyhydrazine Phosphoric Acid All Conc Phosphorous Chlorides Phosphorous Yellow (100%) Photographic Solutions Phthalic Acid (All Cone.) Phthalic Anhydride Pickling Baths, Sulfuric Acid, Hydrochloric Acid Pictic Add (1%) Plating Solutions Potasii Potasium/Aluminum Sulfates (50%) Y Potassium Bichromate Potassium Bosate (10%) Potassium Brumide Potassium Chlorate Potassium Chloricia Potassium Chromate Potassium Cyanide Potassium Dichermate 40% Potassium Feel/ Femo Cyanide Sat'd Potassium Fluoride Potassium Hydroxide Potassium lodide Potassium Nitrate Sat'd Potassium Perborate Sat'd Potassium Perchlorate Potassium Permanganam Potassium Persusate Sat'd Potassium Phosphates Potassium Sulfate Propanal Property/ Alcohol (7%) Propionic Acid (50%) Propyl Alcohol Propylane Dichloode (1009) Propylene Glycol Propylene Oxide Pytidine Flayon Coagulation Salts Rust inhibitors Sep Water Selenic Arid Sewage Shortening Slick Acid Silicore Oil Silver Salls Shor Nitron Socia Solution (All Corne) Socia Ash Socilum Selts Sociliam Acetate Satisf Socium Acrylates Socium Berzoate Socium Bicarbonate Socilum Bissifiate (10%) Sodium Sisulite Scotium Brownste Sodium Branide Socium Bremide Dilute Sci. Socium Carbonate Soviem Chlorate Sodium Chloride Sodium Chiorite Socilum Otromate Socium Disailte Sodium Dithionite (10%) Sodium Ferricyanide Sodium Ferrocyanide Sat'd Sodium Ruoride Sat'd Sodium Hydravide Conc. Socium Hypochlarite Socium todicle

Sodium Nitrate Sodium Osolate

Sodium Penulinas Sodium Phosphate Sodium Silcate Sodium Sulfate Sodium Sulfide Sodium Sulfite Sodium Sulfonates Sodium Thiosulfate Spindle OIl Stannic Salts Stannous Salts Starch Solution Sat'd Steart: Acid (All Conc.) Succinic Acid Sugar Solutions, Glucose, Lactore, Sugrate, etc. Sulfur Sulfunc Acid (98%) Sulfuric Acid, Furning Sulfurous Acid Sulfuryl Chloride Tannic Acid Tanning Extracts Tartaric Acid Sat'd Tetrachloroethane Tetrachioroethylene Tetrahydrofusin NNN Teushydrosuphthalene Thloryl Chloride Tin Salts Fitarium Salts Toluene Toluene Sulfonic Acid (All Conc.) Transformer Oil Tributylphosphale Trichloroacetic Acid Inchioroethane 722 Trichloroethylene Tricresyl Phosphate Triethanolamine Trioctyl Phosphate Trisodium Phosphate Safd Trichloroethylene Turpentire OI Urint Vegetable Oils Vinegar Vanilla Estrard Wax Alcohol Wetting Agents Whisky White Acid (75%) Wire Xylene Yeast Zinc Salis

Naptha

Napthalene

Nickel Salt

Montine, Dium

STEEL - CHEMICAL COMPATIBILITY GUIDE #5

CHEMICAL RESISTINGS FOR STEEL PRODUCTS

| CHEMICAL | RATING | 2-Butanone Butylene | ¥ | Ethylene Glycal Fuel Cili | N | Methyl Ethyl Ketone Methyl Bobutyl Ketone | ¥ |
|---|------------------|---|---------------|--|------|--|------------------|
| Acetic Acid (50%) Acetone Aniline Benzene Butadiene | N Y N N | Chloroflurocarbons Cyclehexane Cyclehexanone Ethanol Ethyl Acetate Ethyl Ether | 2 7 2 2 2 2 4 | Gapoline Hepture Hexane Kerokerie Methylene Chloride | **** | Pentane Petroleum Ether Toluene Trichlarcethylene Xylene | Y Y Y Y |

COBES AND REGULATIONS



DOT 49 CFR 173.3 (c) Salvage Drums:

SHIMMATY: Packages of hazardous materials that are damaged, defective, or found leaking and hazardous materials that have spilled or leaked may be placed in a metal or plastic removable head salvage drum that is compatible with lading and shipped for repackaging or disposal under the following conditions:

- Drum must be a UN 1A2, 1B2, 1N2 or 1H2 tested and marked for Packing Group III or higher performance standards for liquids or solids and a leakproof test of 20 kPa (3 psi).
- Capacity of the drum may not exceed 450 L (119 gallons).
- Each drum shall be provided when necessary with sufficient cushioning and absorption material to prevent excessive movement of the damaged package and to eliminate the presence of any free liquid at the time the salvage drum is closed. All cushioning and absorbent material used in the drum must be compatible with the hazardous material.
- Packaging must be marked "SALVAGE" or "SALVAGE DRUM".
 (The overpack requirements of Section 173.25 do not apply to drums used in accordance with this paragraph.).



EPA 40 CFR 264.175 Containment:

Ref (b)(3) The containment system must have sufficient capacity to contain 10% of the volume of containers or the volume of the largest container, whichever is greater.

EPA 40 CFR 112 Spill Prevention, Control and Countermeasure (SPCC):

SUMMABY: The purpose of the SPCC regulation is prevention of oil discharge into navigable waters and related areas, rather than cleanup after a spill has occurred. The regulation generally affects all facilities with at least 1,320 gallons above ground storage capacity, or 42,000+ gallons underground storage capacity. The SPCC requires affected facilities to prepare and file an action plan (the SPCC Plan).

Some affected facilities include: onshore and offshore drilling, platforms, barges and mobile facilities; fixed and mobile onshore or offshore production; oil refining and storage; any industrial, commercial, agricultural or public facility that uses or stores oil; some waste treatment operations; loading racks, transfer hoses and related equipment; vehicles and pipelines. Oils, fats and greases of any kind or in any form are specifically included in the regulation.

The SPCC Plan must include elements such as: Operating procedures to prevent oil spills; Control measures to prevent spilled oil from entering surface water; Countermeasures such as Secondary Containment for spills and bulk storage compliance; Professional Engineer certification; Management approval; Facility inspections; Security; Training and more. More information is available at www.epa.gov/oilspill.



EPA 40 CFR 122.26 Stormwater Regulations, National Pollutant Discharge Elimination System (NPDES):

SUMMANY: The NPDES permit program controls water pollution by regulating point sources and non-point sources that discharge pollutants into United States waters. These regulations are a key component of EPA's Clean Water Act. The goal is to protect the quality of waterways by reducing the discharge of sediment, oil and chemicals into storm drains, surface and ground waters.

NPDES reguires Minimum Control Measures to be put Into place by activities in affected Urbanized Areas (UA). Visit www.epa.gov/owm (US EPA Office of Wastewater Management), Appendix 6 to determine particular affected places.

This program includes the development and implementation of the Stormwater Pollution Prevention Plan (SWPPP). The SWPPP identifies: Potential Sources of Pollution and Exposed Materials; a history of past spills and leaks; BMPs; Non-Structural controls (Good Housekeeping Practices, Spill Prevention and Response); Structural controls such as Containment including Pollution Incident Prevention Plans (PIPP) and Spill Prevention, Control, and Countermeasures (SPCC) plans.



UFC 79.406 Universal Fire Code:

SUMMARY: When used as a substitute for spill and damage control and secondary containment, pallets shall comply with: liquid-tight sump; sump capacity of at least 66 gallons; compatable substances; provide sump protection from rain water.

NFPA 30 Flammable and Combustible Liquids Code:

&IMMARY: Warehouses, separate buildings containing flammable and combustible liquids whose flash point does not exceed 100°F.

NFPA 70 National Electrical Code:

SUMMANY: Covers the installation of electrical conductors, equipment, and raceways; signaling and communications conductors, and optical fiber cables.

NFPA 400 Hazardous Materials Code:

SUMMANY: Applies to the storage, use, and handling of hazardous materials in all occupancies and facilities including nitrites, corrosives, flammables, peroxide formulations, oxidizers, water-reatives, compressed gases, and cryogenic fluids.

AHRD

OSHA 29 CFR 1910.253 Storage of Cylinders:

SUMMARY: Cylinders shall not be kept in unventilated enclosures such as lockers and cupboards. (b)(2)(ii) Cylinders should be kept at least 20 feet (6.1m) from highly combustable materials, should be placed away from elevators, stairs and gangways. (b)(3)(i) For storage in excess of 2,000 cubic feet (56m(3)) total gas capacity of cylinders or 300lbs (135.9kg) of liquefied petroleum gas, seperate rooms or compartments shall be provided.



FM (Factory Mutual) Global 6049:

SUMMANY: A combination of pressure-relieving (venting) and pressure resisting exterior construction which is intended to mitigate overpressure damage to the building in case of a vapor-air deflagration. The design of relieving and resisting features must be engineered to account for fuel, surface area, or the enclosure, vent area and structural loads imposed by the deflagration.

HOMELAND SECURITY AUTHORIZED EQUIPMENT LIST

SECTION 7-DETECTION EQUIPMENT

7.2.2.4: Kit, Chemical Sampling/Evidence, Containment Vessels (AEL Ref# 07CS-01-KVES)

LEWAR VILABRICAS

 Poly-Overpack Salvage Drums sizes 20-gallon - 110-gallon.

SECTION 8-DECONTAMINATION EQUIPMENT

8.2.6: Equipment, Technical Decontamination-Wet (AEL Ref# 08D2-06-TDEW).

HEVAC PROBRETS-

- Stinger Yellow Jacket™
 Decontamination Berms.

 Stinger™ Containment Berms.
- SpillPal™
 Prowler™ Pools
 Hazmat Pool™
- QVAC™ 100
 Sorbents
 Spill Kits

- both the snap-up and snap-foam styles. .
 - 2-, 4-, 6-, & 8-Drum Workstations

8.2.11: Device, Liquid Decontamination Equipment (AEL Ref# 08D2-10-LDCD)

Union Property.

- Stinger Yellow Jacket^m
 Decontamination Berms.
 Stinger^m Containment Berms,
- SpillPal™
 Prowler™ Pools
 Hazmat Pool™

QVAC™ 100
 Sorbents
 Spill Kits

both the snap-up and snap-foam styles. • 2-, 4-, 6-, & 8-Drum Workstations'*

8.2.12: Drum, Waste Water Containment (AEL Ref# 08D2-11-WWCD)

INVAC PRODUCTS:

Poly-Overpack 95 Salvage Drum

SECTION 9-MEDICAL SUPPLIES

9.2.3.2: Supplies, Biohazard Disposal (AEL Ref# 09M5-03-BIOD)

THE PROPERTY.

 Poly-Overpack Salvage Drums sizes 20-gallon - 110-gallon. Thermo-Sorb Sorbents

Medical Spill Kits

SECTION 18-AGRICULTURAL TERRORISM PREVENTION, RESPONSE AND MITIGATION

16.2.1: Container, Packing, Biohazard (AEL Ref# not specified)

LIFTAD PRODUCTS:

 Poly-Overpack Salvage Drums sizes 20-gallon - 110-gallon. Spill Kits
 Trauma-Sorb

ECS CATALOG ORDER FORM

| PART NUMBER | QTY | DESCRIPTION | LIST PRICE (EA) | TOTAL PRICE |
|---------------------------|----------------|--|-----------------------|-----------------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | stribution hubs across the U.S. Shipping location will be reliant on product | SUBTOTAL | |
| | | ges will be applied prior to shipment. We take into consideration your location sible freight rate. Sales tax will also be applied prior to shipment, unless resale | TAX | |
| certificate is on record. | | | TOTAL | |
| BILL TO: | | I | METHOD OF PAYM | ENT: |
| | | | ☐ Check (enclosed) | |
| | | | ☐ Credit Card (please | e provide info below) |
| | | | ☐ Invoice Acct # | |
| Mailing Address: _ | | | PO#: | |
| City/State/Zip: | | | | |
| Phone: | | Fax: | CREDIT CARD INFO | <u>):</u> |
| Email: | | | □ VISA □ M/C □ | ☐ American Express |
| | | | Name on Card: | |
| <u>SHIP TO:</u> □ Same | e as bill to a | address | | |
| Name: | | | Card #: | |
| Company: | | | Odia #. | |
| Mailing Address: _ | | | Fun Date: / | 666 |
| City/State/Zip: | | | Exp. Date:/ | SSC: |
| | | Fax: | WOLF | |
| Email: | | | | ↑ |
| Your Local ECS Deale | r: | | | |

PH: 800-347-6116 • FAX: 800-535-9164 • EMAIL: orders@wmaze.com • WEB: www.wmaze.com

ENVIRONMENT CONTAINMENT & SUPPLY CATALOG

| Your Local ECS Dealer: | | |
|------------------------|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |

www.wmaze.com • 800-347-6116 • Fax 800-535-9164 • info@wmaze.com